(MS 2020133) APPENDIX

Data:

The data used in this article are available online at the UK Data Archive. SN: 5223. http://dx.doi.org/10.5255/UKDA-SN-5223-1.

Table a1. Paid for sex in last 5 years

Average marginal effects after probit; unweighted data

Average marginal effects after	i probit, u	nweightee			
	NATSAL2 25-44	NATSAL3 25-44	NATSAL3 25-44 - income	NATSAL3 25+	NATSAL3 35-54
Age group (ref: 25-34)					
Aged 35-44	-0.000	0.001	0.003	0.002	
	[0.009]	[0.011]	[0.011]	[0.009]	
Aged 45-54				-0.001	-0.002
				[0.010]	[0.011]
Aged 55-64				0.001	
_				[0.011]	
aged 65-74				-0.020	
				[0.015]	
Marital status (single and never married/cohabiti	ng)				
Currently married	-0.051***	-0.061***	-0.066***	-0.054***	-0.045**
	[0.012]	[0.015]	[0.016]	[0.010]	[0.020]
Currently cohabiting	-0.058***	-0.068***	-0.073***	-0.067***	-0.071**
	[0.014]	[0.017]	[0.018]	[0.013]	[0.029]
Previously married/cohabiting	-0.013	0.007	0.007	-0.011	-0.013
	[0.011]	[0.013]	[0.013]	[0.009]	[0.020]
Number of natural children (incl. stillborn and died)	-0.009**	-0.009	-0.008	-0.006**	-0.006
uicuj	[0.004]	[0.006]	[0.006]	[0.003]	[0.004]
White	-0.004	-0.024	-0.027*	-0.028***	-0.021
· · · · · ·	[0.012]	[0.015]	[0.015]	[0.011]	[0.018]
Highest Qualification (ref: None)	[***]	[*****]	[*****]	[****-]	[*****]
Degree	0.021	0.011	0.007	0.013	0.032
	[0.015]	[0.019]	[0.019]	[0.012]	[0.020]
A-level or equiv.	0.022	0.009	0.006	0.021*	0.051**
	[0.015]	[0.020]	[0.020]	[0.012]	[0.021]
O-level or equivalent	0.012	0.008	0.007	0.018*	0.023
	[0.012]	[0.017]	[0.017]	[0.010]	[0.017]
Socio-economic class (ref: elementary, process, ser	rvice and neve	r worked)			
Managers and senior officials	0.009	0.021	0.018	0.018*	0.033**
	[0.012]	[0.016]	[0.016]	[0.010]	[0.015]
Professional	-0.016	0.005	0.001	0.012	-0.022
	[0.016]	[0.018]	[0.019]	[0.012]	[0.023]
Associate professional/administration	0.003	0.020	0.017	0.007	0.006
	[0.012]	[0.014]	[0.014]	[0.009]	[0.016]
Skilled trade	-0.007	0.018	0.018	0.004	0.008
	[0.012]	[0.014]	[0.014]	[0.010]	[0.016]
Conservative Opinions					
Religious	0.002	0.023**	0.025**	0.012*	0.018
	[800.0]	[0.010]	[0.010]	[0.007]	[0.011]
Sex between two men mostly/always wrong	0.008	0.028***	0.028***	0.012*	0.029**
	[0.008]	[0.010]	[0.010]	[0.007]	[0.012]
One-night stands mostly/always wrong	-0.035***	-0.002	-0.001	-0.007	-0.011

	[0.010]	[0.011]	[0.011]	[0.007]	[0.011]
Adultery whilst married mostly/always wrong	-0.014	-0.026**	-0.029**	-0.024***	-0.030**
	[0.009]	[0.012]	[0.012]	[0.007]	[0.012]
Risky Behaviour					
Average weekly alcohol consumption (ref: none)]					
Low	-0.024*	0.020	0.018	0.018*	0.017
	[0.012]	[0.014]	[0.014]	[0.009]	[0.014]
Moderate/high	-0.011	0.026	0.023	0.030**	0.016
	[0.015]	[0.019]	[0.019]	[0.012]	[0.019]
Smoking (ref: never smoked)					
Ex-smoker	-0.004	-0.023	-0.021	-0.003	-0.013
	[0.012]	[0.015]	[0.015]	[800.0]	[0.014]
Light smoker	0.006	0.006	0.009	0.005	0.008
	[0.011]	[0.012]	[0.012]	[0.009]	[0.015]
Heavy smoker	0.014	0.013	0.017	0.002	0.008
	[0.011]	[0.015]	[0.015]	[0.010]	[0.016]
Unsafe sex in last year=1	0.066***	0.031**	0.036**	0.039***	0.015
	[0.010]	[0.015]	[0.015]	[0.009]	[0.016]
Ever injected drugs==1	0.035**	0.002	0.002	0.002	0.030
	[0.017]	[0.027]	[0.027]	[0.021]	[0.030]
Age first had intercourse (ref: 16-17)					
Aged 13-15	0.008	0.027**	0.026**	0.023***	0.023*
	[0.010]	[0.012]	[0.012]	[0.008]	[0.013]
Aged 18-19	0.001	-0.007	-0.006	0.005	0.006
	[0.011]	[0.014]	[0.014]	[0.009]	[0.015]
Aged 20+	0.016	-0.008	-0.007	-0.008	-0.010
	[0.012]	[0.016]	[0.016]	[0.011]	[0.018]
Region (ref: North and Yorkshire)	0.012	0.022*	0.022*	0.000	0.010
Midlands	0.013	-0.032*	-0.033*	-0.009	-0.010
F 4	[0.013]	[0.018]	[0.018]	[0.010]	[0.016]
East	0.012 [0.017]	0.010	0.007	0.008	0.002
Landan	0.017]	[0.017] 0.009	[0.017] 0.007	[0.011] 0.009	[0.017]
London					0.012
South East	[0.012] -0.014	[0.016] 0.020	[0.016] 0.018	[0.011] 0.021**	[0.019]
South East	[0.016]	[0.015]	[0.018]	[0.010]	[0.017]
South West	0.000	0.007	0.002	-0.003	-0.018
South West	[0.018]	[0.020]	[0.020]	[0.013]	[0.023]
Wales	-0.029	0.020	0.020	-0.005	-0.053
wates	[0.026]	[0.022]	[0.022]	[0.016]	[0.036]
Scotland	-0.032	0.022]	0.022]	0.010	-0.014
Scottand	[0.021]	[0.017]	[0.017]	[0.012]	[0.022]
Income group (ref: <10,000)	[0.021]	[0.01/]	[0.01/]	[0.012]	[0.022]
10,000-19,999			-0.014		
10,000-17,777			[0.020]		
20,000-29,999			0.020]		
20,000-27,777			0.003		

			[0.019]		
30,000-39,999			0.035*		
			[0.019]		
40,000-49,000			0.034*		
			[0.021]		
50,000+			0.014		
			[0.020]		
Not answered			0.029		
			[0.019]		
Observations	3,523	2,149	2,149	4,119	1478
Log likelihood	-699.6	-383.6	-377.9	-660.1	-228.2
LR Chi2	214.5	130	141.4	189.6	70.65
pseudo r-squared	0.133	0.145	0.158	0.126	0.134

Standard errors in brackets

^{***} p<0.01, ** p<0.05, * p<0.1

Table a2. Paid for sex in last 5 years

Average marginal effects after probit; weighted data

Average marginal effects after	er probit; v	veignteu t			
	NATSAL2 25-44	NATSAL3 25-44	NATSAL3 25-44 - income	NATSAL3 25+	NATSAL3 35-54
Age group (ref: 25-34)					
Aged 35-44	0.001	-0.003	-0.002	-0.000	
	[0.007]	[0.011]	[0.011]	[0.009]	
Aged 45-54				0.022	-0.001
				[0.017]	[0.018]
Aged 55-64				0.041**	
				[0.019]	
aged 65-74				0.016	
				[0.023]	
Marital status (single and never married/cohabiting	ng)				
Currently married	-0.032***	-0.053***	-0.056***	-0.045***	-0.031*
	[0.010]	[0.014]	[0.014]	[0.009]	[0.017]
Currently cohabiting	-0.038***	-0.061***	-0.064***	-0.059***	-0.052**
	[0.012]	[0.015]	[0.015]	[0.012]	[0.021]
Previously married/cohabiting	-0.002	0.003	0.004	-0.010	-0.005
	[0.011]	[0.012]	[0.012]	[0.009]	[0.017]
Number of natural children (incl. stillborn and died)	-0.009**	-0.006	-0.005	-0.006**	-0.007*
,	[0.004]	[0.005]	[0.005]	[0.002]	[0.004]
White	0.008	-0.024*	-0.026*	-0.030***	-0.031**
	[0.010]	[0.014]	[0.014]	[0.010]	[0.015]
Highest Qualification (ref: None)					
Degree	0.021	0.020	0.017	0.010	0.025
	[0.013]	[0.017]	[0.017]	[0.011]	[0.018]
A-level or equiv.	0.021	0.024	0.022	0.023*	0.039**
	[0.014]	[0.019]	[0.018]	[0.012]	[0.019]
O-level or equivalent	0.011	0.017	0.017	0.015	0.022
	[0.010]	[0.016]	[0.016]	[0.009]	[0.016]
Socio-economic class (ref: elementary, process, ser	vice and neve	r worked)			
Managers and senior officials	0.004	0.008	0.004	0.016*	0.031**
	[0.011]	[0.014]	[0.015]	[0.010]	[0.014]
Professional	-0.020	0.003	-0.002	0.010	-0.016
	[0.015]	[0.017]	[0.017]	[0.011]	[0.018]
Associate professional/administration	-0.003	0.015	0.011	0.004	0.008
	[0.010]	[0.013]	[0.013]	[0.009]	[0.013]
Skilled trade	-0.004	0.001	0.000	-0.002	-0.001
	[0.010]	[0.014]	[0.014]	[0.009]	[0.014]
Conservative Opinions					
Religious	0.009	0.016*	0.018**	0.009	0.014
	[0.008]	[0.009]	[0.009]	[0.006]	[0.009]
Sex between two men mostly/always wrong	0.005	0.030***	0.030***	0.010	0.025***
	[0.008]	[0.010]	[0.010]	[0.006]	[0.009]
One-night stands mostly/always wrong	-0.024***	-0.006	-0.006	-0.009	-0.011

Adultery whilst married mostly/always wrong	[0.009] -0.011	[0.010] -0.025**	[0.010] -0.027**	[0.007] -0.021***	[0.010] -0.021**
Transfer tra	[0.008]	[0.012]	[0.012]	[0.007]	[0.011]
Risky Behaviour					
Average weekly alcohol consumption (ref: none)]					
Low	-0.023**	0.014	0.012	0.012	0.015
	[0.011]	[0.012]	[0.012]	[0.008]	[0.011]
Moderate/high	-0.008	0.010	0.007	0.020*	0.015
	[0.013]	[0.017]	[0.017]	[0.011]	[0.016]
Smoking (ref: never smoked)					
Ex-smoker	-0.004	-0.023	-0.022	-0.005	-0.012
	[0.012]	[0.015]	[0.015]	[0.008]	[0.013]
Light smoker	0.010	0.003	0.004	-0.000	-0.002
	[0.010]	[0.011]	[0.011]	[0.008]	[0.012]
Heavy smoker	0.010	0.021	0.024	0.002	0.008
	[0.009]	[0.016]	[0.016]	[0.011]	[0.015]
Unsafe sex in last year=1	0.065***	0.019	0.021	0.043***	0.022
	[0.010]	[0.014]	[0.014]	[0.010]	[0.016]
Ever injected drugs==1	0.025	-0.003	-0.003	-0.002	0.023
	[0.017]	[0.025]	[0.025]	[0.018]	[0.021]
Age first had intercourse (ref: 16-17)					
Aged 13-15	0.002	0.027**	0.026**	0.024***	0.026**
	[0.009]	[0.011]	[0.011]	[0.008]	[0.011]
Aged 18-19	-0.009	0.000	0.002	0.008	0.007
	[0.010]	[0.013]	[0.013]	[0.008]	[0.012]
Aged 20+	0.017	-0.017	-0.016	-0.007	-0.012
	[0.011]	[0.015]	[0.015]	[0.010]	[0.015]
Region (ref: North and Yorkshire)					
Midlands	0.012	-0.038**	-0.039**	-0.007	-0.012
	[0.011]	[0.016]	[0.016]	[0.009]	[0.014]
East	0.009	0.004	0.000	0.001	-0.004
	[0.016]	[0.016]	[0.016]	[0.010]	[0.015]
London	0.026***	0.002	0.000	0.005	0.007
	[0.010]	[0.016]	[0.015]	[0.011]	[0.017]
South East	-0.009	0.011	0.010	0.019**	-0.000
	[0.013]	[0.015]	[0.014]	[0.009]	[0.015]
South West	0.004	0.001	-0.002	-0.006	-0.024
	[0.016]	[0.017]	[0.017]	[0.012]	[0.018]
Wales	-0.014	-0.010	-0.009	-0.021	-0.056*
	[0.021]	[0.019]	[0.019]	[0.015]	[0.030]
Scotland	-0.018	0.012	0.012	0.011	-0.002
	[0.018]	[0.017]	[0.017]	[0.012]	[0.017]
Income group (ref: <10,000)					
10,000-19,999			-0.014		
			[0.020]		
20,000-29,999			-0.005		

			[0.018]		
30,000-39,999			0.017		
			[0.018]		
40,000-49,000			0.011		
			[0.020]		
50,000+			0.013		
			[0.021]		
Not answered			0.014		
			[0.018]		
Observations	3,523	2,149	2,149	4,119	1478
Log likelihood	-682.1	-407.9	-405.1	-790.6	-344.8
LR Chi2	226.4	172.7	191.6	214.3	90.7
pseudo r-squared	0.147	0.151	0.157	0.14	0.147

Standard errors in brackets

^{***} p<0.01, ** p<0.05, * p<0.1

Table a3. Non clients, one paid partner, many paid partners over last 5 years[§]
Average marginal effects after multinomial probit (unweighted data)

	NATSAL 2			NATSAL3			
	never	one	many	never	one	many	
Age group (ref: 25-34)							
Aged 35-44	0.000	-0.006	0.005	-0.004	0.001	0.003	
	[0.009]	[0.005]	[0.007]	[0.011]	[0.005]	[0.010]	
Marital status (single and never married/cohabiting	ng)						
Currently married	0.051***	-0.018**	-0.033***	0.060***	-0.017**	-0.043***	
	[0.012]	[0.008]	[0.010]	[0.016]	[0.008]	[0.014]	
Currently cohabiting	0.059***	-0.012	-0.047***	0.067***	-0.020**	-0.046***	
	[0.015]	[0.008]	[0.013]	[0.017]	[0.010]	[0.015]	
Previously married/cohabiting	0.012	-0.001	-0.011	-0.007	0.004	0.003	
N 1 6 4 1111 6 1 6	[0.011]	[0.006]	[0.009]	[0.013]	[0.005]	[0.012]	
Number of natural children (incl. stillborn and died)	0.009**	-0.004	-0.005	0.010*	-0.003	-0.007	
	[0.004]	[0.003]	[0.004]	[0.006]	[0.003]	[0.005]	
White	0.004	0.005	-0.009	0.022	-0.004	-0.018	
	[0.012]	[0.008]	[0.009]	[0.015]	[0.007]	[0.013]	
Highest Qualification (ref: None)	[· · ·]	[]	[]	[]	[· · · · ·]	[]	
Degree	-0.022	0.003	0.019	-0.014	0.024**	-0.011	
6	[0.015]	[0.009]	[0.012]	[0.020]	[0.012]	[0.017]	
A-level or equiv.	-0.020	0.012	0.008	-0.009	0.005	0.004	
	[0.016]	[0.009]	[0.013]	[0.021]	[0.013]	[0.017]	
O-level or equivalent	-0.013	-0.000	0.013	-0.011	0.011	-0.000	
	[0.012]	[0.007]	[0.011]	[0.017]	[0.011]	[0.014]	
Socio-economic class (ref: elementary, process, ser	rvice and nev	er worked)					
Managers and senior officials	-0.008	0.000	0.008	-0.019	-0.009	0.028**	
	[0.012]	[800.0]	[0.010]	[0.016]	[0.010]	[0.014]	
Professional	0.020	-0.017	-0.003	-0.007	-0.003	0.010	
	[0.016]	[0.012]	[0.012]	[0.018]	[0.008]	[0.017]	
Associate professional/administration	-0.003	0.005	-0.003	-0.021	0.006	0.015	
	[0.012]	[0.007]	[0.010]	[0.014]	[0.006]	[0.013]	
Skilled trade	0.007	0.002	-0.009	-0.018	0.005	0.013	
	[0.012]	[0.007]	[0.010]	[0.014]	[0.006]	[0.013]	
Conservative Opinions							
Religious	-0.001	0.001	0.001	-0.019*	-0.006	0.025***	
	[0.008]	[0.005]	[0.007]	[0.011]	[0.005]	[0.009]	
Sex between two men mostly/always wrong	-0.008	0.004	0.004	-0.029***	0.012**	0.017*	
	[800.0]	[0.005]	[0.007]	[0.011]	[0.005]	[0.009]	
One-night stands mostly/always wrong	0.035***	-0.010	-0.025***	0.001	0.010**	-0.011	
	[0.010]	[0.006]	[0.008]	[0.011]	[0.005]	[0.010]	
Adultery whilst married mostly/always wrong	0.014	-0.006	-0.008	0.028**	-0.006	-0.022**	
	[0.009]	[0.006]	[0.007]	[0.012]	[0.006]	[0.011]	
Risky Behaviour							
Average weekly alcohol consumption (ref: none)]							
Low	0.023*	-0.005	-0.018*	-0.020	0.008	0.012	

	[0.012]	[0.008]	[0.010]	[0.014]	[0.007]	[0.012]
Moderate/high	0.011	-0.005	-0.006	-0.018	-0.002	0.020
	[0.015]	[0.010]	[0.012]	[0.020]	[0.012]	[0.017]
Smoking (ref: never smoked)						
Ex-smoker	0.006	-0.006	-0.000	0.023	-0.008	-0.015
	[0.012]	[0.008]	[0.009]	[0.016]	[0.009]	[0.013]
Light smoker	-0.004	0.014**	-0.010	-0.005	0.004	0.001
	[0.011]	[0.006]	[0.009]	[0.012]	[0.005]	[0.011]
Heavy smoker	-0.014	0.010	0.004	-0.009	-0.005	0.013
	[0.011]	[0.007]	[0.009]	[0.016]	[0.009]	[0.013]
Unsafe sex in last year=1	0.065***	0.021***	0.044***	-0.032**	0.004	0.028**
	[0.010]	[0.006]	[800.0]	[0.014]	[0.007]	[0.013]
Ever injected drugs==1	-0.032*	-0.003	0.035***	-0.007	0.010	-0.003
	[0.017]	[0.012]	[0.013]	[0.027]	[0.011]	[0.025]
Age first had intercourse (ref: 16-17)						
Aged 13-15	-0.009	-0.011*	0.019**	-0.026**	-0.008	0.034***
	[0.010]	[0.006]	[0.008]	[0.012]	[0.006]	[0.011]
Aged 18-19	-0.002	-0.008	0.010	0.006	-0.012*	0.007
	[0.011]	[0.007]	[0.009]	[0.014]	[0.007]	[0.013]
Aged 20+	-0.018	-0.002	0.020**	0.008	-0.009	0.001
	[0.012]	[0.008]	[0.010]	[0.017]	[0.007]	[0.015]
Region (ref: North and Yorkshire)						
Midlands	-0.012	0.015*	-0.003	0.032*	0.004	-0.036**
	[0.013]	[800.0]	[0.011]	[0.018]	[800.0]	[0.017]
East	-0.009	0.016	-0.007	-0.007	0.009	-0.003
	[0.018]	[0.010]	[0.015]	[0.017]	[0.008]	[0.016]
London	-0.027**	0.011	0.016*	-0.011	0.004	0.007
	[0.012]	[800.0]	[0.009]	[0.016]	[800.0]	[0.014]
South East	0.014	0.001	-0.015	-0.022	0.010	0.012
	[0.016]	[0.010]	[0.014]	[0.015]	[0.008]	[0.013]
South West	0.008	-0.018	0.010	-0.005	0.011	-0.005
	[0.020]	[0.016]	[0.014]	[0.020]	[0.009]	[0.018]
Wales	0.028	-0.009	-0.018	-0.017	0.004	0.013
	[0.026]	[0.018]	[0.021]	[0.022]	[0.012]	[0.019]
Scotland	0.038	0.003	-0.041*	-0.014	0.012	0.002
	[0.024]	[0.012]	[0.022]	[0.018]	[0.008]	[0.016]
Observations	3,523	3,523	3,523	2,147	2,147	2,147
Log likelihood	-814.4	-814.4	-814.4	-412.7	-412.7	-412.7
LR Chi2	218.1	218.1	218.1	127.1	127.1	127.1

Standard errors in brackets

^{***} p<0.01, ** p<0.05, * p<0.1 $\,$ Those who have not paid for sex in the last 5 years enter the never category