



Letter

Search for soft unclustered energy patterns produced in association with a W or Z boson in proton-proton collisions at $\sqrt{s} = 13$ TeV

The CMS Collaboration¹

CERN, Geneva, Switzerland

ARTICLE INFO

Editor: Dr. M. Doser

Keywords:

CMS

EXO

Dark showers

SUEP

Hidden valley

ABSTRACT

A search for a Higgs boson produced in association with a W or Z boson and decaying via a soft unclustered energy pattern (SUEP) is presented. The analysis is based on proton-proton collision data corresponding to an integrated luminosity of 138 fb^{-1} collected between 2016 and 2018 at the LHC. Final states with a leptonic W or Z boson decay associated with a high multiplicity of low-momentum charged particles are explored for the first time. The results show no significant excess over the standard model background expectation. Limits are set on the production cross section of a Higgs boson that decays to a SUEP, for a range of parameters of the SUEP model. Material is provided to facilitate further interpretation of the results.

1. Introduction

The extensive searches at the CERN LHC have probed numerous final states without direct evidence for physics beyond the standard model (BSM). As many minimal BSM models have now been ruled out, more unusual signatures that may have evaded previous searches are being explored as possible explanations for questions unanswered by the standard model (SM). A well-motivated class of BSM models are hidden-valley (HV) models [1–6], which can provide solutions to the dark matter puzzle [6] and the hierarchy problem [2]. The HV models extend the SM with a non-Abelian gauge group, dark quantum chromodynamics (QCD), and predict unconventional signatures including emerging [7] or semivisible [8] jets. If the product of the running dark QCD coupling and the number of dark QCD colors ('t Hooft coupling [9]) exceeds unity for a broad range of energies above the confinement scale, collinear emission is no longer enhanced. This dark QCD showering produces low-momentum particles spherically distributed in the rest frame of the initiating particle [3,10,11], a signature known as a soft unclustered energy pattern (SUEP) [12,13]. In the considered phenomenological model [13], a heavy scalar mediator produces a SUEP shower that is composed of multiple, identical dark mesons (ϕ_D) that decay to dark photons (A'), which in turn decay to visible SM particles, producing a signature of numerous low-momentum (soft) SM particles spread broadly in the η - ϕ space.

The CMS Collaboration has previously searched for SUEPs from the decays of heavy scalar mediators produced through gluon fusion [14]. A subsequent search by the ATLAS Collaboration targeted models with

enhanced muon content in the final state [15]. The case in which the mediator is the Higgs boson (H) is especially interesting, as it can be produced in multiple ways without increasing the complexity of the dark sector. Production modes other than gluon fusion enable more efficient triggering strategies [13]. This Letter investigates the hypothesis that the scalar is the 125 GeV Higgs boson produced in association with a massive vector boson, W or Z (V), which decays to leptons, as depicted in Fig. 1. The analysis uses triggers based on these final-state electrons and muons. This requirement significantly reduces the multijet background compared to the previous CMS search exploring gluon fusion production [14], although it introduces the challenge of separating the signal from the Drell-Yan (DY), W + jets, and top quark-antiquark pair ($t\bar{t}$) backgrounds.

2. The CMS detector

The CMS apparatus [16] is a multipurpose, nearly hermetic detector, designed to trigger on [17–19] and identify electrons, muons, photons, and (charged and neutral) hadrons [20–22]. A global “particle-flow” (PF) algorithm [23] aims to reconstruct all individual particles in an event, combining information provided by the all-silicon tracker and by the crystal electromagnetic and brass-scintillator hadron calorimeters, operating inside a 3.8 T superconducting solenoid, with data from the gas-ionization muon detectors embedded in the flux-return yoke outside the solenoid. The primary vertex (PV) is taken to be the vertex corresponding to the hardest scattering in the event, evaluated using tracking information alone (ref. [24], Section 9.4.1).

Contact authors: cms-publication-committee-chair@cern.ch.

¹ Authors are listed at the end of this paper.




Fig. 1. Schematic diagram of the 125 GeV Higgs boson decaying to a SUEP shower, produced in association with a leptonically decaying V boson.

3. Signal and background simulation

Simulated samples of the VH signal process are used to optimize the analysis procedure, estimate the selection efficiency, and interpret the results. The VH production process is simulated at leading order (LO) with PYTHIA 8.240 [25] using the BSM Higgs boson library, with the Higgs boson mass set to 125 GeV [25]. In simulation, the Higgs boson decay produces a SUEP shower composed of multiple dark mesons. The production of dark mesons in the SUEP shower is simulated using a PYTHIA plugin based on ref. [13], which models the SUEP shower as an isotropic emission of dark mesons with Boltzmann-distributed transverse momentum p_T . Each dark meson decays to a pair of dark photons through an effective $\phi_D A'^{\mu\nu} A'_{\mu\nu}$ interaction. The dark photons decay to visible SM particles through kinetic mixing with the SM photon [26,27]. Signal samples are normalized to next-to-next-to-LO (NNLO) cross section predictions for Higgs boson production [28]. The parameters probed in the model are the mass of the dark meson m_{ϕ_D} , the Boltzmann temperature T_D , and the mass of the dark photon $m_{A'}$. Two $m_{A'}$ values correspond to dominantly leptonic ($m_{A'} = 0.5$ GeV, $A' \rightarrow e^+e^-, \mu^+\mu^-,$ and $\pi^+\pi^-$, with branching fractions $B = 40, 40,$ and 20% , respectively) or dominantly hadronic ($m_{A'} = 0.7$ GeV, $A' \rightarrow e^+e^-, \mu^+\mu^-,$ and $\pi^+\pi^-$, with $B = 15, 15,$ and 70% , respectively) decays. At $m_{A'} = 1.02$ GeV, the dark photon mixes with the $\phi(1020)$ meson and decays almost always to kaons. While this model is fairly unique because of the narrow width of the $\phi(1020)$ meson, we include a model with $m_{A'} = 1$ GeV and 100% branching fraction to $\pi^+\pi^-$ as a generic proxy for a fully hadronic SUEP decay, as used in the previous CMS search [14]. The m_{ϕ_D} values are varied between 1 and 8 GeV with T_D between $m_{\phi_D}/4$ and $4m_{\phi_D}$, following the constraints discussed in ref. [29].

SM simulated samples are used in the validation of the background estimation procedure. Multijet samples are produced at LO with PYTHIA. The MADGRAPH5_aMC@NLO 2.6.5 [30] program is used for the simulation of the DY, W, single top quark, and $t\bar{t} + V$ processes at next-to-LO (NLO). The DY and W ($t\bar{t} + V$) samples are produced with up to two (one) additional partons at the matrix element level and the FxFx merging scheme is used [31]. The POWHEG BOX v2 [32–36] is used for the simulation of the $t\bar{t}$ and diboson processes at NLO.

All signal and background samples are produced using the NNPDF 3.1 parton distribution function (PDF) set [37] at next-to-NLO. The underlying event, parton showering, and additional proton-proton (pp) interactions in the same or adjacent bunch crossings (pileup) are simulated with PYTHIA using the CP5 tune [38]. A realistic simulation of the response of the CMS detector is performed with the GEANT4 package [39].

4. Object reconstruction and identification

Charged leptons are selected to target those produced from the decay of a V boson rather than in the SUEP shower. Selected electrons

must satisfy $p_T > 15$ GeV and pseudorapidity $|\eta| < 2.5$. A multivariate analysis (MVA) discriminant that combines information from the reconstructed electron and its isolation is used to reject poorly reconstructed electrons and those coming from hadron decays [20]. Restrictions on the transverse and longitudinal impact parameters of the electron tracks are imposed to ensure consistency with the PV. Two different selections based on the MVA discriminant are used, corresponding to selection efficiencies of roughly 90% (loose) and 80% (tight). Selected muons must have $p_T > 10$ GeV and $|\eta| < 2.4$. Additional identification criteria are used to define loose (tight) muons [21], which are also required to pass loose (very tight) relative PF isolation requirements, corresponding to a selection efficiency of 98 (91)% [21]. Events with exactly one (two) selected loose electrons or muons are assigned to the WH (ZH) channel.

Hadronic jets are used to apply different event selection criteria. After rejecting charged hadrons that do not originate from the PV, the anti- k_T algorithm [40,41] with a distance parameter of $R = 0.4$ is used to cluster the reconstructed particles into jets; subsequently, neutral pileup contributions are subtracted [42]. Jets must have $p_T > 30$ GeV, $|\eta| < 2.5$, and pass tight identification criteria designed to reduce noise effects from the calorimeter systems with a 99% efficiency for genuine jets [43]. The reconstructed jet energy is corrected to better match the energy of the originating parton [42]. Jets produced by the hadronization of b quarks (b jets) are identified, or “tagged”, using the loose and tight working points of the DEEPJET algorithm [44–46], which, respectively, have misidentification rates of 10 and 0.1% for jets originating from light quarks or gluons, and efficiencies of 90 and 55% for genuine b quark jets. Any jet (j) that overlaps with a selected electron or muon (ℓ), namely that has $\Delta R(\ell, j) = \sqrt{(\Delta\phi)^2 + (\Delta\eta)^2} < 0.4$, is discarded. The missing transverse momentum vector $\vec{p}_T^{\text{miss}}$, with magnitude p_T^{miss} , is computed from the PF candidates weighted by their probability to originate from the PV [47], as predicted by the pileup-per-particle identification algorithm [48].

To build reconstructed SUEP objects, all charged PF candidates, independently of whether they are clustered within a hadronic jet, that originate from the PV with $p_T > 1.0$ GeV, $|\eta| < 2.5$ are clustered using the anti- k_T algorithm with a distance parameter of $R = 1.5$, consistent with the expected size in the η - ϕ plane of a SUEP recoiling against a V boson. The cluster with the highest p_T in each event is defined to be the reconstructed SUEP candidate and is required to have $p_T > 60$ GeV. The clustering omits PF candidates overlapping with a selected lepton by $\Delta R(\ell, \text{PF candidate}) < 0.4$ to avoid contamination from emissions of the W and Z boson decays.

The associated production of a H boson and a photon has a negligible cross section. Thus, photons are used to define signal-free independent validation regions where they act as a proxy for the W or Z boson. Photons must satisfy $p_T > 60$ GeV and $|\eta| < 2.5$. Identification and isolation criteria are applied to all photons, based on an MVA discriminant similar to that used for electrons [20]. The selection efficiency for photons is $\approx 90\%$.

5. Event selection

We analyze a data sample of pp collisions at $\sqrt{s} = 13$ TeV collected by the CMS experiment between 2016 and 2018, corresponding to an integrated luminosity of 138 fb^{-1} . Events are selected with several single and double electron and muon triggers, chosen to maximize the trigger acceptance. Minimum p_T trigger thresholds vary from 27 to 32 GeV (24 to 27 GeV) for single-electron (single-muon) triggers. For double-lepton paths they correspond to 23 (17) GeV and 12 (8) GeV for the leading and subleading electron (muon). Additional high- p_T triggers with relaxed criteria target electrons (muons) with a p_T threshold of 115 (50) GeV. These triggers increase the signal acceptance inclusively by roughly 1%, with the effects of up to 7% (2%) for electrons (muons) with $p_T > 115$ GeV ($p_T > 50$ GeV).

To account for the different sources of SM background in each channel, different selection criteria and background estimation strategies are employed to define signal regions (SRs) and control regions (CRs).

The WH channel selection requires events to pass single-lepton triggers and to have exactly one selected tight lepton and a SUEP candidate. Muons (electrons) must have $p_T > 30$ (35) GeV to account for the more stringent criteria of the single-lepton triggers. Events are required to have $p_T^{\text{miss}} > 30$ GeV. The W boson is reconstructed by combining the transverse momentum vector of the selected lepton and the $\vec{p}_T^{\text{miss}}$. Events are required to have $p_T^W > 60$ GeV and $30 < m_T^W < 130$ GeV, where $m_T^W = \sqrt{2p_T^{\ell} p_T^{\text{miss}} [1 - \cos \Delta\phi(\ell, \vec{p}_T^{\text{miss}})]}$ is the transverse mass of the lepton- p_T^{miss} system. To select the desired final state of a SUEP candidate recoiling against a W boson, the ratio of the two objects' momenta is constrained to be $p_T^W / p_T^{\text{SUEP}} < 3$, and the differences in azimuth between the SUEP candidate and each of the W boson, the lepton, and the $\vec{p}_T^{\text{miss}}$ must be greater than 1.5 radians. The sphericity of the SUEP candidate in its rest frame is defined using the second and third largest eigenvalues (λ_2, λ_3) of the infrared- and collinear-safe generalized sphericity tensor: $S_{\text{boosted}}^{\text{SUEP}} \equiv \frac{3}{2}(\lambda_2 + \lambda_3)$. $S_{\text{boosted}}^{\text{SUEP}}$ is expected to be lower in SM production where isotropical patterns are suppressed [49]. A requirement on $S_{\text{boosted}}^{\text{SUEP}} > 0.3$ is applied. Events with two loose or one tight b-tagged jets are rejected to reduce the $t\bar{t}$ background. This selection defines the WH SR (SR-WH). Simulation predicts the SM yield in SR-WH to be 88% from W + jets production, with roughly equal subdominant contributions from $t\bar{t}$ (3%), DY (3%), and multijet production (4%), and residual contributions from diboson and single top quark processes (2%).

The ZH channel selection requires events to pass single- or double-lepton triggers and to have exactly two loose leptons of same flavor and opposite charge, plus a SUEP candidate overlapping with at least one jet. The p_T of the leading overlapping jet (p_T^j) is expected to be higher for SM processes, where the entire jet fits into a cone with $R = 0.4$, than for SUEPs, where only a subset of the SUEP constituents will be included in the cluster. The leading lepton must have $p_T > 25$ GeV, based on the double-lepton trigger criteria. The Z boson is reconstructed by adding the four-momenta of the two leptons. The reconstructed Z boson must satisfy $p_T^Z > 25$ GeV and $60 < m_{\ell\ell} < 120$ GeV. The ZH SR (SR-ZH) is defined by applying these criteria and rejecting events with at least one loose b-tagged jet to reduce the $t\bar{t}$ background. Two CRs are defined by requiring $m_{\ell\ell} > 120$ GeV: CR-DY, which maintains the b-tagged jet veto, and CR-TT, which instead requires a single loose b-tagged jet. Simulation predicts the SM yield in SR-ZH to be mostly from DY production (95%), with subdominant contributions from diboson (4%) and $t\bar{t}$ (1%) production. In CR-TT, simulation predicts a majority events from the $t\bar{t}$ background (80%), with significant contributions from DY (16%), single top quark (2%), and diboson (2%) processes. In CR-DY, the dominant process is DY (79%), followed by diboson processes (11%), $t\bar{t}$ (9%), and single top quark processes (1%).

Photon triggers with p_T thresholds ranging from 50 to 200 GeV are used to define signal-free regions to validate the background estimation procedure. These triggers collect only part of the data, as described in Section 6.1. For the WH (ZH) channel, a photon region PR-WH (PR-ZH) is defined using the same selection criteria as SR-WH (SR-ZH), replacing the requirements for the reconstructed W (Z) boson with those for the photon, omitting the transverse (dilepton) mass requirement. The PR-WH and PR-ZH regions are used for validation and are not included in the final fit to the data.

6. Background estimation

Particle multiplicity distributions in simulation are especially sensitive to the parton shower model and to the tracking efficiency uncertainties, which can introduce sizeable variations. Thus, the yields and distributions of the SM background processes are allowed to deviate from the compositions stated in Section 5. They are estimated from data with the extended “ABCD” method [50]. The extended ABCD method relies on

dividing the plane of two variables into nine subregions instead of the usual four of the traditional ABCD method. Compared to the four-region ABCD method, the extended ABCD method incorporates corrections for effects from residual dependence between the two variables at the expense of increased statistical uncertainty. All SM background processes are estimated simultaneously in this method, with no direct use of simulation, which is possible because of the similar distribution across the SR bins for all different SM processes, as shown in simulation.

The two variables chosen for the extended ABCD method are the multiplicity ($n_{\text{constituent}}^{\text{SUEP}}$) of the SUEP candidate and a channel-specific variable that distinguishes the signal from the SM processes. In the WH channel, the second variable is $S_{\text{boosted}}^{\text{SUEP}}$, which reflects the expected spherical distribution of the SUEP shower. In the ZH channel, the reconstructed SUEP is slightly less boosted because of a more inclusive selection. As a consequence, for SM processes, the momentum of the jet recoiling against the vector boson, p_T^j , is softer and less correlated with $n_{\text{constituent}}^{\text{SUEP}}$ in the ZH channel than in the WH channel. As p_T^j offers better sensitivity than $S_{\text{boosted}}^{\text{SUEP}}$, we chose to use it as the second variable for the ZH channel. The bin boundaries of the extended ABCD method are chosen for each SR to reduce nonclosure effects, defined as the difference between the observed and predicted yields, based on simulation. Closure tests were performed to compare the performance of the extended ABCD and the four-region ABCD methods in simulation in SR-WH and SR-ZH. In the closure tests, the extended ABCD method was found to reduce the nonclosure from 25% (20%) to 2% (5%) for SR-WH (SR-ZH). In simulation, closure tests of the method using the SM processes contributing to each SR, as discussed in Section 5, demonstrate that the method accurately reproduces the simulated background yields. This is further confirmed by the tests performed in data with PR-WH and PR-ZH described in Section 6.1.

The extended ABCD method is implemented as follows. For each SR or CR, eight signal-depleted regions (SDRs), A through H, are defined by placing different boundaries on the two variables. A signal-enriched region (SER), I, is defined for each SR and the corresponding CRs: $S_{\text{boosted}}^{\text{SUEP}} > 0.5$ and $n_{\text{constituent}}^{\text{SUEP}} > 30$ in the WH channel, and $p_T^j < 135$ GeV and $n_{\text{constituent}}^{\text{SUEP}} > 20$ in the ZH channel. The SERs are divided in bins of $n_{\text{constituent}}^{\text{SUEP}}$. For each channel, the SDRs and SER are included in a binned Poisson likelihood fit, with the mean of the Poisson distribution in each SDR bin represented as an independent free parameter and of each SER bin obtained from the extended ABCD formula below, using the SDR parameters. In the WH channel, the shape of the background distribution is obtained from region F. In the ZH channel, the shape of the distribution is obtained from both regions F and C by applying the extended ABCD method to each $n_{\text{constituent}}^{\text{SUEP}}$ bin. The resulting number of SM events predicted for bin i is:

$$N_I^{i,\text{WH}} = N_F^i \frac{N_F N_H^2 N_D^2 N_B^2}{N_G N_C N_A N_E^4}, \quad N_I^{i,\text{ZH}} = \frac{(N_F^i)^2}{N_C^i} \frac{N_H^2 N_D^2 N_B^2}{N_G N_A N_E^4},$$

where $N_I^{i,\text{WH}}$ is used for SR-WH and $N_I^{i,\text{ZH}}$ for SR-ZH. For CR-TT and CR-DY, a procedure analogous to that of SR-ZH is used, with each selection having a different set of independent free parameters. In the ZH channel, including SR-ZH, CR-TT, and CR-DY, signal contributions are only considered in the SER, to avoid instabilities in the fit from the nonlinearity of the background estimation method. In the SDRs, the background yield is always much larger than the signal yield neglected by this procedure. It was confirmed in simulation that neglecting these contributions changes the expected upper limit by up to 10%, predominantly for signal models with high T_D or high m_{ϕ_D} where larger signal contamination appears in the SDRs.

6.1. Extended ABCD method validation

The WH and ZH channels use, respectively, PR-WH and PR-ZH with events recorded by photon triggers. Final-state photons are produced much more frequently than either W or Z bosons at the LHC. Together




Fig. 2. Distributions of $n_{\text{constituent}}^{\text{SUEP}}$ in the extended ABCD subregions A–I in the PR-WH (upper) and PR-ZH (lower) regions, showing the observed data and the background predictions. The prefit (postfit) background distribution is shown for the PR-WH (PR-ZH) channel. The distribution is split into $S_{\text{boosted}}^{\text{SUEP}}$ (p_T^j) bins for the WH (ZH) channel. The last $n_{\text{constituent}}^{\text{SUEP}}$ bin includes the overflow events. The shaded bands indicate the uncertainties in the prediction, which are propagated to the ratios in the lower panels.

with the misidentification of QCD jets as final-state photons, this results in the need for additional trigger-level requirements to select photon final states. Thus, PR events are selected with a set of prescaled triggers that collected integrated luminosities between 1 and 138 fb^{-1} depending on the photon p_T . This introduces a bias towards higher photon momenta, which would correspondingly bias the kinematic properties of the recoiling SUEP candidate. To correct for this effect, each observed event in both PR-WH and PR-ZH is weighted by the ratio of the full integrated luminosity to that collected by the specific trigger that selected the event. Furthermore, the W boson carries nonzero electric charge and therefore has a different initial state than the other production modes. To correct for differences between the W and photon signatures, the PR-WH events are weighted such that the observed p_T distribution of the SUEP candidate matches between PR-WH and SR-WH.

In the WH channel, closure tests for the background estimation method compare the observed data in the PR-WH SER with the prediction obtained from the SDR data. While the resulting distributions are found to be in good agreement, the photon trigger prescaling results in a relatively large statistical uncertainty, higher than the expected uncertainty in SR-WH. Therefore, systematic uncertainties are assigned such that the quadrature sum of the systematic uncertainty and the statistical uncertainty in SR-WH is equal to the PR-WH statistical uncertainty. For each bin of the PR-WH SER, an uncertainty is similarly assigned such

that the quadrature sum of this systematic uncertainty, the statistical uncertainty in SR-WH, and the predicted uncertainty in the total yield across all bins of the SER is equal to the relative uncertainty in PR-WH. A 4% uncertainty is estimated for the overall yield, along with an additional uncertainty uncorrelated across $n_{\text{constituent}}^{\text{SUEP}}$ bins ranging from 0.01 to 100% for low to high $n_{\text{constituent}}^{\text{SUEP}}$. The PR-WH prefit distributions are shown in Fig. 2 (upper).

In the ZH channel, the uncertainties in the background estimation method are determined using simulation in SR-ZH, CR-TT, and CR-DY. The last two are expected to contain additional contributions from the diboson and $t\bar{t}$ processes, thus serving as a test of the process dependence of the background estimation method. The level of agreement between the background yields predicted directly from simulation and from the extended ABCD method applied to simulated events results in a 20% uncertainty per bin, uncorrelated across the $n_{\text{constituent}}^{\text{SUEP}}$ bins. A validation fit is performed using the data in PR-ZH, CR-TT, and CR-DY and otherwise following the description of Section 7. To mimic the presence of signal, signal templates from SR-ZH are used in PR-ZH, only for the purpose of this validation fit. The fits are repeated for all signal hypotheses considered, and there are no significant deviations from the background-only prediction. When simulated signals are injected into the PR-ZH data, the injected signal yields are recovered within one standard deviation. Fig. 2 (lower) shows the PR-ZH postfit distributions.




Fig. 3. Distributions of $n_{\text{constituent}}^{\text{SUEP}}$ in the extended ABCD subregions A–I in the SR for the WH (upper) and ZH (lower) channels, showing the observed data, the predictions from the background-only fit, and several signal hypotheses with fully hadronic decays ($B(A' \rightarrow \pi^+ \pi^-) = 100\%$): $m_{\phi_D} = 4 \text{ GeV}, T_D = 8 \text{ GeV}$; $m_{\phi_D} = 3 \text{ GeV}, T_D = 3 \text{ GeV}$; and $m_{\phi_D} = 4 \text{ GeV}, T_D = 1 \text{ GeV}$. The distribution is split into $S_{\text{boosted}}^{\text{SUEP}}(p_T^j)$ bins for the WH (ZH) channel. The last $n_{\text{constituent}}^{\text{SUEP}}$ bin includes the overflow events. The shaded bands indicate the uncertainties in the prediction, which are propagated to the ratios in the lower panels. The error bars in the signal distributions correspond to the total prefit uncertainty in the prefit signal distributions.

7. Systematic uncertainties and statistical model

Several uncertainty sources can introduce variations in the signal $n_{\text{constituent}}^{\text{SUEP}}$ distribution. Correction factors for electron and muon triggering, identification, and isolation criteria are computed with the “tag-and-probe” method [21], with uncertainties of up to 1.5%, depending on the data-taking year and lepton flavor. Uncertainties in the jet energy corrections [42] are propagated through the event selection and account for effects of up to 1 (2)% for the scale (resolution). The b tagging efficiency is corrected separately for light- and heavy-flavor jets, with uncertainties of up to 3% depending on the data-taking year [45]. The PF candidate selection efficiency is varied down by 3% [51] for models with fully hadronic SUEP decays and 4.5% for signal models with leptons from SUEP decays to account for the lower tracking efficiency for low- p_T electrons, with a resulting effect of up to 30% in some $n_{\text{constituent}}^{\text{SUEP}}$ bins. The uncertainty in the pileup modeling is assessed by varying the total inelastic pp cross section by 5% [52], resulting in an effect of up to 4.5%. Timing shifts in the hardware trigger [18,53] can produce losses of data, for which corrections are applied with an associated uncertainty of up to 1.4%. The modeling of initial- and final-state radiation is studied by varying the renormalization scale up and

down by a factor of 2, independently for the initial- and final-state emissions, with an overall effect of up to 14%. Uncertainties in the PDFs were found to have effects less than 1% on the signal distributions in the SR-WH and SR-ZH, so they were not included. The uncertainty in the measured integrated luminosity ranges between 1.2 and 2.3% for different data-taking years [54–56] and is applied as an overall normalization effect of 1.6%. Statistical uncertainties from the limited number of events in the data CRs and the simulated event samples are considered as additional sources of uncertainty, uncorrelated across bins.

As detailed in Section 6, uncertainties in the background estimation procedure are different for the WH and ZH channels. In the WH channel, a 4% normalization uncertainty affects all the SER bins simultaneously, with a set of decorrelated, independent uncertainties ranging from 0.01 to 100% affecting each bin of the shape separately. In the ZH channel, a set of decorrelated uncertainties corresponds to a change in the background yield in each SER bin by 20%.

When combining the WH and ZH channels, most uncertainty sources are correlated across channels, as they describe effects with common sources in object reconstruction or detector calibration. The exceptions are the uncertainties in the lepton trigger efficiencies, the limited size




Fig. 4. Interpretation of the results for the decay of the 125 GeV Higgs boson mediator to a SUEP, for signal models with dominantly hadronic decays. The observed upper limit from the combination of the WH and ZH channels is shown as a function of the signal model parameters m_{ϕ_D} and $\log_2(T_D/m_{\phi_D})$. The contours for each channel are drawn for a benchmark scenario in which the observed or expected upper limit for that channel on $\sigma^{\text{prod}} B(H \rightarrow \text{SUEP})/\sigma_{\text{SM}}^{\text{prod}}$ equals 0.16.




Fig. 6. Interpretation of the results for the decay of the 125 GeV Higgs boson mediator to a SUEP, for signal models with $B(A' \rightarrow \pi^+\pi^-) = 100\%$. The observed upper limit from the combination of the WH and ZH channels is shown as a function of the signal model parameters m_{ϕ_D} and $\log_2(T_D/m_{\phi_D})$. The contours for each channel are drawn for a benchmark scenario in which the observed or expected upper limit for that channel on $\sigma^{\text{prod}} B(H \rightarrow \text{SUEP})/\sigma_{\text{SM}}^{\text{prod}}$ equals 0.16.




Fig. 5. Interpretation of the results for the decay of the 125 GeV Higgs boson mediator to a SUEP, for signal models with dominantly leptonic decays. The observed upper limit from the combination of the WH and ZH channels is shown as a function of the signal model parameters m_{ϕ_D} and $\log_2(T_D/m_{\phi_D})$. The contours for each channel are drawn for a benchmark scenario in which the observed or expected upper limit for that channel on $\sigma^{\text{prod}} B(H \rightarrow \text{SUEP})/\sigma_{\text{SM}}^{\text{prod}}$ equals 0.16.




Fig. 7. 95% CL upper limits on the signal yield from the model-agnostic fit for different minimum $n_{\text{constituent}}^{\text{SUEP}}$ values in the WH and ZH channels.

of the simulated samples, and the background estimation, which are obtained from different data sets.

The extended ABCD subregions from SR-WH, SR-ZH, CR-DY, and CR-TT are included in a binned Poisson likelihood fit, performed using the CMS COMBINE tool [57] and following the description in Section 6. As mentioned in Section 6, the yields in each SDR are represented by free parameters in the fit, meaning that a total of 12 free parameters are included for SR-WH and 22 for each of SR-ZH, CR-DY, and CR-TT. Systematic uncertainties in the SR-ZH background estimation are correlated with those of CR-DY and CR-TT, leading to stronger constraints on the corresponding nuisance parameters. A common parameter repre-

sents the product of the H boson production cross section (σ^{prod}) times the branching fraction for its decay to a SUEP shower ($B(H \rightarrow \text{SUEP})$) divided by the SM WH + ZH production cross section of 2.38 pb ($\sigma_{\text{SM}}^{\text{prod}}$), denoted as $\sigma^{\text{prod}} B(H \rightarrow \text{SUEP})/\sigma_{\text{SM}}^{\text{prod}}$. The uncertainty sources described above are included as nuisance parameters. This parameter of interest is chosen to be able to provide fair comparisons to previous searches in the gluon fusion channel [14] in the case of a H boson mediator, by fixing $\sigma^{\text{prod}} = \sigma_{\text{SM}}^{\text{prod}}$ and comparing the branching fraction, while allowing for higher than SM production rates from BSM effects with no restrictions on σ^{prod} .

8. Results

The results from the combined fit to both channels are shown in Fig. 3. Upper limits at 95% confidence level (CL) on $\sigma^{\text{prod}} B(H \rightarrow \text{SUEP})/\sigma_{\text{SM}}^{\text{prod}}$ are computed using the CL_s criterion [58,59]. The distribution of the likelihood ratio test statistic is estimated using pseudo-experiments and the LHC-style prescription [57]. The resulting upper limits on $\sigma^{\text{prod}} B(H \rightarrow \text{SUEP})/\sigma_{\text{SM}}^{\text{prod}}$ for several sets of signal models are shown in Figs. 4–6.

To compare the WH + ZH channel and the gluon fusion channel from the previous CMS result [14], we also show exclusion curves for a benchmark scenario. In the benchmark scenario, $\sigma^{\text{prod}} B(H \rightarrow \text{SUEP})/\sigma_{\text{SM}}^{\text{prod}}$ is set to 0.16, which corresponds to the case of $\sigma^{\text{prod}} = \sigma_{\text{SM}}^{\text{prod}}$ and $B(H \rightarrow \text{SUEP}) = 0.16$, the current best limit on the undetected H boson branching fraction from CMS [60]. For the comparison with ref. [14], a SM production cross section ($\sigma_{\text{SM}}^{\text{prod}}$) of 45.2 pb for the gluon fusion production mode is assigned.

No significant deviation from the background prediction is observed. The HEPData entry for this search provides numerical information to facilitate further comparisons [61]. This analysis is found to be most sensitive to models with lower m_{ϕ_D} and T_D , as those tend to produce final states with higher multiplicities of lower-momentum particles. These limits on the production rate of a SUEP shower via an H boson improve upon those of ref. [14] by up to two orders of magnitude.

9. Additional material for interpretation of the results

Additional material is provided for the reinterpretation of this analysis in the associated HEPData entry [61] and the full statistical model repository [62]. An implementation of the analysis in the MADANALYSIS framework [63–66] is provided, along with the full statistical model described in Section 7, for all signal models considered in the analysis. Additional step-by-step instructions for the processing of alternative signal samples using the DELPHES [67] fast simulation and reconstruction software, event selection using the MADANALYSIS framework, and statistical inference using the full statistical model are also provided.

Signal samples using the same generator-level parameters and processed with the DELPHES plus MADANALYSIS implementation of this search are used to validate this reinterpretation workflow. Relevant distributions in SR-WH and SR-ZH are found to be consistent within 20% between these samples and those obtained with the full CMS simulation and reconstruction chain detailed in Section 3. The upper limits on $\sigma^{\text{prod}} B(H \rightarrow \text{SUEP})/\sigma_{\text{SM}}^{\text{prod}}$ obtained with this alternative setup are consistent within two standard deviations with those obtained with signals processed with the full CMS simulation. Tabulated results of these validation checks can be found in the HEPData record for this analysis [61].

Finally, an alternative model-agnostic fit is performed to facilitate reinterpretation of the results without any assumptions about the signal $n_{\text{constituent}}^{\text{SUEP}}$ distribution and to provide simplified, single-bin estimations of the analysis performance. This fit provides upper limits on the signal yields in the extended ABCD SER for different $n_{\text{constituent}}^{\text{SUEP}}$ lower bounds. For each lower bound, all events with higher $n_{\text{constituent}}^{\text{SUEP}}$ values are aggregated into a single bin where the background is estimated using the extended ABCD method. Numerical results are provided separately for the WH and ZH channels in the analysis HEPData entry [61]. Instructions can be found in ref. [62] to obtain the corresponding predicted yields for other signal samples produced using the DELPHES plus MADANALYSIS implementation. By comparing the numbers obtained for these samples with the yield limits above, conclusions can be derived for alternative new physics models without the need to use the full statistical model, but at the cost of reduced sensitivity. The WH channel provides a weaker limit because of the larger background, but also usually has larger expected signal yield than the ZH channel (see Fig. 7).

10. Summary

In summary, this Letter presents the first search for final states with a large-radius cluster of low-momentum, spherically distributed particles—a soft unclustered energy pattern or SUEP—and a massive vector boson. Events are selected at trigger level based on the presence of one or two charged leptons arising from the leptonic decays of the W or Z boson. This strategy improves significantly the sensitivity of the search to SUEP production via a Higgs boson mediator compared to previous results [14], with more significant improvements for signal models with higher multiplicities of low-momentum particles. Additional material is provided for full reinterpretation of the results using DELPHES and MADANALYSIS [62].

Declaration of competing interest

The authors declare that they have no known competing financial interests or personal relationships that could have appeared to influence the work reported in this paper.

Acknowledgments

We congratulate our colleagues in the CERN accelerator departments for the excellent performance of the LHC and thank the technical and administrative staffs at CERN and at other CMS institutes for their contributions to the success of the CMS effort. In addition, we gratefully acknowledge the computing centers and personnel of the Worldwide LHC Computing Grid and other centers for delivering so effectively the computing infrastructure essential to our analyses. Finally, we acknowledge the enduring support for the construction and operation of the LHC, the CMS detector, and the supporting computing infrastructure provided by the following funding agencies: SC (Armenia), BMBWF and FWF (Austria); FNRS and FWO (Belgium); CNPq, CAPES, FAPERJ, FAPESP, and FAPESP (Brazil); MES and BNSF (Bulgaria); CERN; CAS, MoST, and NSFC (China); MINCIENCIAS (Colombia); MSES and CSF (Croatia); RIF (Cyprus); SENESCYT (Ecuador); ERC PRG and PSG, TARISTU24-TK10 and MoER TK202 (Estonia); Academy of Finland, MEC, and HIP (Finland); CEA and CNRS/IN2P3 (France); SRNSF (Georgia); BMFT, DFG, and HGF (Germany); GSRI (Greece); NKFIH (Hungary); DAE and DST (India); IPM (Iran); SFI (Ireland); INFN (Italy); MSIT and NRF (Republic of Korea); MES (Latvia); LMTLT (Lithuania); MOE and UM (Malaysia); BUAP, CINVESTAV, CONACYT, LNS, SEP, and UASLP-FAI (Mexico); MOS (Montenegro); MBIE (New Zealand); PAEC (Pakistan); MSHE, NSC, and NAWA (Poland); FCT (Portugal); MESTD (Serbia); MICIU/AEI and PCTI (Spain); MOSTR (Sri Lanka); Swiss Funding Agencies (Switzerland); MST (Taipei); MHESI (Thailand); TUBITAK and TENMAK (Türkiye); NASU (Ukraine); STFC (United Kingdom); DOE and NSF (USA).

Individuals have received support from the Marie-Curie program and the European Research Council and Horizon 2020 Grant, contract Nos. 675440, 724704, 752730, 758316, 765710, 824093, 101115353, 101002207, 101001205, and COST Action CA16108 (European Union); the Leventis Foundation; the Alfred P. Sloan Foundation; the Alexander von Humboldt Foundation; the Science Committee, project no. 22r1-037 (Armenia); the Fonds pour la Formation à la Recherche dans l'Industrie et dans l'Agriculture (FRIA) and Fonds voor Wetenschappelijk Onderzoek contract No. 1228724N (Belgium); the Beijing Municipal Science & Technology Commission, No. Z191100007219010, the Fundamental Research Funds for the Central Universities, the Ministry of Science and Technology of China under grant no. 2023YFA1605804, the Natural Science Foundation of China under grant no. 12535004, and USTC Research Funds of the Double First-Class Initiative No. YD2030002017 (China); the Ministry of Education, Youth and Sports (MEYS) of the Czech Republic; the Shota Rustaveli National Science Foundation, grant FR-22-985 (Georgia); the Deutsche Forschungsgemeinschaft (DFG), among others, under Germany's Excellence Strategy – EXC

2121 “Quantum Universe” – 390833306, and under project number 400140256 - GRK2497; the Hellenic Foundation for Research and Innovation (HFRI), Project Number 2288 (Greece); the Hungarian Academy of Sciences, the New National Excellence Program - ÚNKP, the NKFIH research grants K 131991, K 133046, K 138136, K 143460, K 143477, K 146913, K 146914, K 147048, 2020-2.2.1-ED-2021-00181, TKP2021-NKTA-64, and 2025-1.1.5-NEMZ_KI-2025-00004 (Hungary); the Council of Science and Industrial Research, India; ICSC – National Research Center for High Performance Computing, Big Data and Quantum Computing, FAIR – Future Artificial Intelligence Research, and CUP I53D23001070006 (Mission 4 Component 1), funded by the NextGenerationEU program, the Italian Ministry of University and Research (MUR) under Bando PRIN 2022 – CUP I53C24002390006, PRIN PRIMULA 2022RBYK7T (Italy); the Latvian Council of Science; the Ministry of Science and Higher Education, project no. 2022/WK/14, and the National Science Center, contracts Opus 2021/41/B/ST2/01369, 2021/43/B/ST2/01552, 2023/49/B/ST2/03273, and the NAWA contract BPN/PPO/2021/1/00011 (Poland); the Fundação para a Ciência e a Tecnologia (Portugal); the National Priorities Research Program by Qatar National Research Fund; MICIU/AEI/10.13039/501100011033, ERDF/EU, “European Union NextGenerationEU/PRTR”, projects PID2022-142604OB-C21, PID2022-139519OB-C21, PID2023-147706NB-I00, PID2023-148896NB-I00, PID2023-146983NB-I00, PID2023-147115NB-I00, PID2023-148418NB-C41, PID2023-148418NB-C42, PID2023-148418NB-C43, PID2023-148418NB-C44, PID2024-158190NB-C22, RYC2021-033305-I, RYC2024-048719-I, CNS2023-144781, CNS2024-154769 and Plan de Ciencia, Tecnología e Innovación de Asturias, Spain; the Chulalongkorn Academic into Its 2nd Century Project Advancement Project, the National Science, Research and Innovation Fund program IND_FF_68_369_2300_097, and the Program Management Unit for Human Resources & Institutional Development, Research and Innovation, grant B39G680009 (Thailand); the Eric & Wendy Schmidt Fund for Strategic Innovation through the CERN Next Generation Triggers project under grant agreement number SIF-2023-004; the Kavli Foundation; the Nvidia Corporation; the SuperMicro Corporation; the Welch Foundation, contract C-1845; and the Weston Havens Foundation (USA).

Data availability

Release and preservation of data used by the CMS Collaboration as the basis for publications is guided by the [CMS data preservation, re-use, and open access policy](#).

Supplementary material

Supplementary material associated with this article can be found in the online version at [10.1016/j.physletb.2026.140671](https://doi.org/10.1016/j.physletb.2026.140671).

The CMS Collaboration

A. Hayrapetyan¹, V. Makarenko¹, A. Tumasyan^{XXIII,1}, W. Adam¹, L. Benato¹, T. Bergauer¹, M. Dragicevic¹, P.S. Hussain¹, M. Jeitler^{XXIV,1}, N. Krammer¹, A. Li¹, D. Liko¹, M. Matthewman¹, J. Schieck^{XXIV,1}, R. Schöfbeck^{XXIV,1}, M. Shoostari¹, M. Sonawane¹, W. Waltenberger¹, C.-E. Wulz^{XXIV,1}, T. Janssen², H. Kwon², D. Ocampo Henao², T. Van Laer², P. Van Mechelen², J. Bierkens³, N. Breugelmans³, J. D’Hondt³, S. Dansana³, A. De Moor³, M. Delcourt³, F. Heyen³, Y. Hong³, P. Kashko³, S. Lowette³, I. Makarenko³, D. Müller³, S. Tavernier³, M. Tytgat^{II,3}, G.P. Van Onsem³, S. Van Putte³, D. Vannerom³, B. Bilin⁴, B. Clerbaux⁴, A.K. Das⁴, I. De Bruyn⁴, G. De Lentdecker⁴, H. Evard⁴, L. Favart⁴, P. Gianneios⁴, A. Khalilzadeh⁴, F.A. Khan⁴, A. Malara⁴, M.A. Shahzad⁴, A. Sharma⁴, L. Thomas⁴, M. Vanden Bemden⁴, C. Vander Velde⁴, P. Vanlaer⁴, F. Zhang⁴, M. De Coen^{II}, D. Dobur^{II}, C. Giordano^{II}, G. Gokbulut^{II}, K. Kaspar^{II}, D. Kavtaradze^{II}, D.

Marckx^{II}, K. Skovpen^{II}, A.M. Tomaru^{II}, N. Van Den Bossche^{II}, J. van der Linden^{II}, J. Vandenbroeck^{II}, H. Aarup Petersen⁵, S. Bein⁵, A. Benecke⁵, A. Bethani⁵, G. Bruno⁵, A. Cappati⁵, J. De Favereau De Jeneret⁵, C. Delaere⁵, F. Gameiro Casalinho⁵, A. Giammanco⁵, A.O. Guzel⁵, V. Lemaitre⁵, J. Lidrych⁵, P. Malek⁵, P. Mastrapasqua⁵, S. Turkcapar⁵, G.A. Alves⁶, M. Barroso Ferreira Filho⁶, E. Coelho⁶, C. Hensel⁶, D. Matos Figueiredo⁶, T. Menezes De Oliveira⁶, C. Mora Herrera⁶, P. Rebello Teles⁶, M. Soeiro⁶, E.J. Tonelli Manganote^{XXV,6}, A. Vilela Pereira⁶, W.L. Aldá Júnior⁷, H. Brandao Malbouisson⁷, W. Carvalho⁷, J. Chinellato^{XXVIII,7}, M. Costa Reis⁷, E.M. Da Costa⁷, G.G. Da Silveira^{XXVII,7}, D. De Jesus Damiao⁷, S. Fonseca De Souza⁷, R. Gomes De Souza⁷, S. Jesus⁷, T. Laux Kuhn^{XXVII,7}, M. Macedo⁷, K. Mota Amarilo⁷, L. Mundim⁷, H. Nogima⁷, J.P. Pinheiro⁷, A. Santoro⁷, A. Sznajder⁷, M. Thiel⁷, F. Torres Da Silva De Araujo^{XXVI,7}, C.A. Bernardes⁸, L. Calligaris⁸, F. Damas⁸, T.R. Fernandez Perez Tomei⁸, E.M. Gregores⁸, B. Lopes Da Costa⁸, I. Maietto Silverio⁸, P.G. Mercadante⁸, S.F. Novaes⁸, Sandra S. Padula⁸, V. Scheurer⁸, A. Aleksandrov⁹, G. Antchev⁹, P. Danev⁹, R. Hadjiiska⁹, P. Iaydjiev⁹, M. Shopova⁹, G. Sultanov⁹, A. Dimitrov¹⁰, L. Litov¹⁰, B. Pavlov¹⁰, P. Petkov¹⁰, A. Petrov¹⁰, S. Keshri¹¹, D. Laroze¹¹, S. Thakur¹¹, W. Brooks¹², T. Cheng¹³, T. Javaid¹³, L. Wang¹³, L. Yuan¹³, Z. Hu¹⁴, Z. Liang¹⁴, J. Liu¹⁴, X. Wang¹⁴, H. Yang¹⁴, G.M. Chen^{XXXI,15}, H.S. Chen^{XXXI,15}, M. Chen^{XXXI,15}, Y. Chen¹⁵, Q. Hou¹⁵, X. Hou¹⁵, F. Iemmi¹⁵, C.H. Jiang¹⁵, H. Liao¹⁵, G. Liu¹⁵, Z.-A. Liu^{XXXIX,15}, J.N. Song^{XXXIX,15}, S. Song¹⁵, J. Tao¹⁵, C. Wang^{XXXI,15}, J. Wang¹⁵, H. Zhang¹⁵, J. Zhao¹⁵, A. Agapitos¹⁶, Y. Ban¹⁶, A. Carvalho Antunes De Oliveira¹⁶, S. Deng¹⁶, B. Guo¹⁶, Q. Guo¹⁶, C. Jiang¹⁶, A. Levin¹⁶, C. Li¹⁶, Q. Li¹⁶, Y. Mao¹⁶, S. Qian¹⁶, S.J. Qian¹⁶, X. Qin¹⁶, C. Quaranta¹⁶, X. Sun¹⁶, D. Wang¹⁶, J. Wang¹⁶, M. Zhang¹⁶, Y. Zhao¹⁶, C. Zhou¹⁶, S. Yang¹⁷, Z. You¹⁸, N. Lu¹⁹, G. Bauer^{XXXIV,XXXII,III}, Z. Cui^{XXXII,III}, B. Li^{XXXIII,III}, H. Wang^{III}, K. Yi^{XX,III}, J. Zhang^{III}, Y. Li²⁰, Y. Zhou^{III,20}, Z. Lin²¹, C. Lu²¹, M. Xiao^{XXX,21}, C. Avila²², D.A. Barbosa Trujillo²², A. Cabrera²², C. Florez²², J. Fraga²², J.A. Reyes Vega²², C. Rendón²³, M. Rodriguez²³, A.A. Ruales Barbosa²³, J.D. Ruiz Alvarez²³, N. Godinovic²⁴, D. Lelas²⁴, A. Sculac²⁴, M. Kovac²⁵, A. Petkovic²⁵, T. Sculac²⁵, P. Bargassa²⁶, V. Brigljevic²⁶, B.K. Chitroda²⁶, D. Ferencek²⁶, K. Jakovcic²⁶, A. Starodumov²⁶, T. Susa²⁶, A. Attikis²⁷, K. Christoforou²⁷, S. Konstantinou²⁷, C. Leonidou²⁷, L. Paizanos²⁷, F. Ptochos²⁷, P.A. Razis²⁷, H. Rykaczewski²⁷, H. Saka²⁷, A. Stepenov²⁷, M. Finger^{XCIII,28}, M. Finger Jr.²⁸, E. Ayala²⁹, E. Carrera Jarrin³⁰, S. Khalil^{XXXVII,31}, E. Salama^{XXXVI,XXXV,31}, A. Hussein³², H. Mohammed³², K. Jaffel³³, M. Kadastik³³, T. Lange³³, C. Nielsen³³, J. Pata³³, M. Raidal³³, N. Seiba³³, L. Tani³³, E. Brücken³⁴, A. Milieva³⁴, K. Osterberg³⁴, M. Voutilainen³⁴, F. Garcia³⁵, P. Inkaew³⁵, K.T.S. Kallonen³⁵, R. Kumar Verma³⁵, T. Lampén³⁵, K. Lassila-Perini³⁵, B. Lehtela³⁵, S. Lehti³⁵, T. Lindén³⁵, N.R. Mancilla Xinto³⁵, M. Myllymäki³⁵, M.m. Rantanen³⁵, S. Saariokari³⁵, N.T. Toikka³⁵, J. Tuominiemi³⁵, N. Bin Norjoharuddeen³⁶, H. Kirschenmann³⁶, P. Luukka³⁶, H. Petrow³⁶, M. Besancon³⁷, F. Couderc³⁷, M. Dejardin³⁷, D. Denegri³⁷, P. Devoue³⁷, J.L. Faure³⁷, F. Ferri³⁷, P. Gagne³⁷, S. Ganjour³⁷, P. Gras³⁷, F. Guilloux³⁷, G. Hamel de Monchenault³⁷, M. Kumar³⁷, V. Lohezic³⁷, Y. Maidannyk³⁷, J. Malcles³⁷, F. Orlandi³⁷, L. Portales³⁷, S. Ronchi³⁷, M.Ö. Sahin³⁷, P. Simkina³⁷, M. Titov³⁷, M. Tornago³⁷, R. Amella Ranz³⁸, F. Beaudette³⁸, G. Boldrini³⁸, P. Busson³⁸, C. Charlot³⁸, M. Chiusi³⁸, T.D. Cuisset³⁸, O. Davignon³⁸, A. De Wit³⁸, T. Debnath³⁸, I.T. Ehle³⁸, S. Ghosh³⁸, A. Gilbert³⁸, R. Granier de Cassagnac³⁸, L. Kalipoliti³⁸, M. Manoni³⁸, M. Nguyen³⁸, S. Obraztsov³⁸, C. Ochando³⁸, R. Salerno³⁸, J.B. Sauvan³⁸, Y. Sirois³⁸, G. Sokmen³⁸, Y. Song³⁸, L. Urda Gómez³⁸, A. Zabi³⁸, A. Zghiche³⁸, J.-L. Agram^{XXXVIII,39}, J. Andrea³⁹, D. Bloch³⁹, J.-M. Brom³⁹, E.C. Chabert³⁹, C. Collard³⁹, G. Coulon³⁹, S. Falke³⁹, U. Goerlach³⁹, R. Haeberle³⁹, A.-C. Le Bihan³⁹, M. Meena³⁹, O.

Poncet³⁹, G. Saha³⁹, A. Savoy-Navarro^{XXII,39}, P. Vauclle³⁹, A. Di Florio⁴⁰, B. Orzari⁴⁰, D. Amram^{IV}, S. Beauceron^{IV}, B. Blancon^{IV}, G. Boudoul^{IV}, N. Chanon^{IV}, D. Contardo^{IV}, P. Depasse^{IV}, H. El Mamouni^{IV}, J. Fay^{IV}, E. Fillaudeau^{IV}, S. Gascon^{IV}, M. Gouzevitch^{IV}, C. Greenberg^{IV}, G. Grenier^{IV}, B. Ille^{IV}, E. Jourdhuy^{IV}, M. Lethuillier^{IV}, B. Massoteau^{IV}, L. Mirabito^{IV}, A. Purohit^{IV}, M. Vander Donckt^{IV}, C. Verollet^{IV}, J. Xiao^{IV}, I. Lomidze^V, T. Toriashvili^{XXXIX,V}, Z. Tsamalaidze^{XCI,V}, V. Botta⁴¹, S. Consuegra Rodríguez⁴¹, L. Feld⁴¹, K. Klein⁴¹, M. Lipinski⁴¹, P. Nattland⁴¹, V. Oppenländer⁴¹, A. Pauls⁴¹, D. Pérez Adán⁴¹, N. R. "uget⁴¹, C. Daumann^{VI}, S. Diekmann^{VI}, N. Eich^{VI}, D. Eliseev^{VI}, F. Engelke^{VI}, J. Erdmann^{VI}, M. Erdmann^{VI}, B. Fischer^{VI}, T. Hebbeker^{VI}, K. Hoepfner^{VI}, F. Ivone^{VI}, A. Jung^{VI}, N. Kumar^{VI}, M.y. Lee^{VI}, F. Mausolf^{VI}, M. Merschmeyer^{VI}, A. Meyer^{VI}, A. Pozdnyakov^{VI}, W. Redjeb^{VI}, H. Reithler^{VI}, U. Sarkar^{VI}, V. Sarkisovi^{VI}, A. Schmidt^{VI}, C. Seth^{VI}, A. Sharma^{VI}, J.L. Spah^{VI}, V. Vaulin^{VI}, S. Zaleski^{VI}, M.R. Beckers⁴², C. Dziwok⁴², G. Fl "ugge⁴², N. Hoeflich⁴², T. Kress⁴², A. Nowack⁴², O. Pooth⁴², A. Stahl⁴², A. Zotz⁴², A. Abel^{VII}, M. Aldaya Martin^{VII}, J. Alimena^{VII}, S. Amoroso^{VII}, Y. An^{VII}, I. Andreev^{VII}, J. Bach^{VII}, S. Baxter^{VII}, H. Becerril Gonzalez^{VII}, O. Behnke^{VII}, A. Belvedere^{VII}, F. Blekman^{VIII,VII}, K. Borras^{VII,VII}, A. Campbell^{VII}, S. Chatterjee^{VII}, L.X. Coll Saravia^{VII}, G. Eckerlin^{VII}, D. Eckstein^{VII}, E. Gallo^{VIII,VII}, A. Geiser^{VII}, M. Guthoff^{VII}, A. Hinzmann^{VII}, L. Jeppe^{VII}, M. Kasemann^{VII}, C. Kleinwort^{VII}, R. Kogler^{VII}, M. Komm^{VII}, D. Krücker^{VII}, W. Lange^{VII}, D. Leyva Pernia^{VII}, K.-Y. Lin^{VII}, K. Lipka^{XLII,VII}, W. Lohmann^{XL,VII}, J. Malvaso^{VII}, R. Mankel^{VII}, I.-A. Melzer-Pellmann^{VII}, M. Mendizabal Morentin^{VII}, A.B. Meyer^{VII}, G. Milella^{VII}, K. Moral Figueroa^{VII}, A. Mussgiller^{VII}, L.P. Nair^{VII}, J. Niedziela^{VII}, A. Nürnberg^{VII}, J. Park^{VII}, E. Ranken^{VII}, A. Raspereza^{VII}, D. Rastorguev^{VII}, L. Rygaard^{VII}, M. Scham^{XLI,VI,VII}, S. Schnake^{VI,VII}, P. Schütze^{VII}, C. Schwanenberger^{VIII,VII}, D. Schwarz^{VII}, D. Selivanova^{VII}, K. Shako^{VII}, M. Shchedrolosiev^{VII}, D. Stafford^{VII}, M. Torkian^{VII}, A. Ventura Barroso^{VII}, R. Walsh^{VII}, D. Wang^{VII}, Q. Wang^{VII}, K. Wichmann^{VII}, L. Wiens^{VI,VII}, C. Wissing^{VII}, Y. Yang^{VII}, S. Zakharov^{VII}, A. Zimmermann Castro Santos^{VII}, A.R. Alves Andrade^{VIII}, M. Antonello^{VIII}, S. Bollweg^{VIII}, M. Bonanomi^{VIII}, L. Ebeling^{VIII}, K. El Morabit^{VIII}, Y. Fischer^{VIII}, M. Frahm^{VIII}, E. Garutti^{VIII}, A. Grohsjean^{VIII}, A.A. Guvenli^{VIII}, J. Haller^{VIII}, D. Hundhausen^{VIII}, G. Kasieczka^{VIII}, P. Keicher^{VIII}, R. Klanner^{VIII}, W. Korcar^{VIII}, T. Kramer^{VIII}, C.C. Kuo^{VIII}, F. Labe^{VIII}, J. Lange^{VIII}, A. Lobanov^{VIII}, J. Matthiesen^{VIII}, L. Moureaux^{VIII}, K. Nikolopoulos^{VIII}, A. Paasch^{VIII}, K.J. Pena Rodriguez^{VIII}, N. Prouvost^{VIII}, B. Raciti^{VIII}, M. Rieger^{VIII}, D. Savoiu^{VIII}, P. Schleper^{VIII}, M. Schröder^{VIII}, J. Schwandt^{VIII}, M. Sommerhalder^{VIII}, H. Stadie^{VIII}, G. Steinbrück^{VIII}, R. Ward^{VIII}, B. Wiederspan^{VIII}, M. Wolf^{VIII}, C. Yede^{VIII}, S. Brommer⁴³, A. Brusamolino⁴³, E. Butz⁴³, Y.M. Chen⁴³, T. Chwalek⁴³, A. Dierlam⁴³, G.G. Dincer⁴³, D. Druzhkin⁴³, U. Elicabuk⁴³, N. Faltermann⁴³, M. Giffels⁴³, A. Gottmann⁴³, F. Hartmann^{XV,43}, M. Horzela⁴³, F. Hummer⁴³, U. Husemann⁴³, J. Kieseler⁴³, M. Klute⁴³, J. Knolle⁴³, R. Kunnlan Muhammed Rafeek⁴³, O. Lavoryk⁴³, J.M. Lawhorn⁴³, S. Maier⁴³, A.A. Monsch⁴³, M. Mormile⁴³, Th. Müller⁴³, E. Pfeffer⁴³, M. Presilla⁴³, G. Quast⁴³, K. Rabbertz⁴³, B. Regnery⁴³, R. Schmieder⁴³, N. Shadskiy⁴³, I. Shvetsov⁴³, H.J. Simonis⁴³, L. Sowa⁴³, L. Stockmeier⁴³, K. Tauqer⁴³, M. Toms⁴³, B. Topko⁴³, N. Trevisani⁴³, C. Verstege⁴³, T. Voigtländer⁴³, R.F. Von Cube⁴³, J. Von Den Driesch⁴³, C. Winter⁴³, R. Wolf⁴³, W.D. Zeuner⁴³, X. Zuo⁴³, G. Anagnostou⁴⁴, G. Daskalakis⁴⁴, A. Kyriakis⁴⁴, G. Melachroinos^{IX}, Z. Painesis^{IX}, I. Paraskevas^{IX}, N. Saoulidou^{IX}, K. Theofilatos^{IX}, E. Tziarferi^{IX}, E. Tzovara^{IX}, K. Vellidis^{IX}, I. Zisopoulos^{IX}, T. Chatzistavrou⁴⁵, G. Karapostoli⁴⁵, K. Kousouris⁴⁵, E. Siamarkou⁴⁵, G. Tsiopolitis⁴⁵, I. Bestintzanos⁴⁶, I. Evangelou⁴⁶, C. Foudas⁴⁶, P. Katsoulis⁴⁶, P. Kokkas⁴⁶, P.G. Kosmoglou Kioseoglou⁴⁶, N. Manthos⁴⁶, I. Papadopoulos⁴⁶, J. Strogas⁴⁶, C. Hajdu^X, D. Horvath^{XII,XLIV,X},

Á. Kadlecik^X, C. Lee^X, K. Márton^X, A.J. Rádli^{XI,X}, F. Sikler^X, V. Veszpremi^X, M. Csanád^{XI}, K. Farkas^{XI}, A. Fehérkúti^{X,XI}, M.M.A. Gadallah^{XIII,XI}, M. León Coello^{XI}, G. Pásztor^{XI}, G.I. Veres^{XI}, B. Ujvari⁴⁷, G. Zilizi⁴⁷, G. Bencze^{XII}, S. Czelell^{XII}, J. Molnar^{XII}, Z. Szillasi^{XII}, T. Csorgo^{X,48}, F. Nemes^{X,48}, T. Novak⁴⁸, I. Szanyi^{XXI,48}, S. Bahinipati⁴⁹, S. Nayak⁴⁹, R. Raturi⁴⁹, S. Bansal⁵⁰, S.B. Beri⁵⁰, V. Bhatnagar⁵⁰, S. Chauhan⁵⁰, N. Dhingra^{XI,VII,50}, A. Kaur⁵⁰, H. Kaur⁵⁰, M. Kaur⁵⁰, S. Kumar⁵⁰, T. Sheokand⁵⁰, J.B. Singh⁵⁰, A. Singla⁵⁰, A. Bhardwaj⁵¹, A. Chhetri⁵¹, B.C. Choudhary⁵¹, A. Kumar⁵¹, A. Kumar⁵¹, M. Naimuddin⁵¹, S. Phor⁵¹, K. Ranjan⁵¹, M.K. Saini⁵¹, P. Palni⁵², S. Acharya^{XIII,XIII}, B. Gomber^{XIII}, S. Mukherjee⁵³, S. Bhattacharya⁵⁴, S. Das Gupta⁵⁴, S. Dutta⁵⁴, S. Dutta⁵⁴, S. Sarkar⁵⁴, M.M. Ameen⁵⁵, P.K. Behera⁵⁵, S. Chatterjee⁵⁵, G. Dash⁵⁵, A. Dattamuni⁵⁵, P. Jana⁵⁵, P. Kalbhor⁵⁵, S. Kamble⁵⁵, J.R. Komaragiri^{XLV,55}, T. Mishra⁵⁵, P.R. Pujahari⁵⁵, A.K. Sikdar⁵⁵, R.K. Singh⁵⁵, P. Verma⁵⁵, S. Verma⁵⁵, A. Vijay⁵⁵, B.K. Sirasva⁵⁶, L. Bhatt⁵⁷, S. Dugad⁵⁷, G.B. Mohanty⁵⁷, M. Shelake⁵⁷, P. Suryadevara⁵⁷, A. Bala⁵⁸, S. Banerjee⁵⁸, S. Barman^{XLVIII,58}, R.M. Chatterjee⁵⁸, M. Guchait⁵⁸, Sh. Jain⁵⁸, A. Jaiswal⁵⁸, S. Kumar⁵⁸, M. Maity^{XLVIII,58}, G. Majumder⁵⁸, K. Mazumdar⁵⁸, S. Parolia⁵⁸, R. Saxena⁵⁸, A. Thachayath⁵⁸, D. Maity^{XLVI,59}, P. Mal⁵⁹, K. Naskar^{XLVI,59}, A. Nayak^{XLVI,59}, K. Pal⁵⁹, P. Sadangi⁵⁹, S.K. Swain⁵⁹, S. Varghese^{XLVI,59}, D. Vats^{XLVI,59}, S. Dube⁶⁰, P. Hazarika⁶⁰, B. Kansal⁶⁰, A. Laha⁶⁰, R. Sharma⁶⁰, S. Sharma⁶⁰, K.Y. Vaish⁶⁰, S. Ghosh⁶¹, H. Bakhshiansohi^{VII,XIV}, A. Jafari^{XIV,XIV}, V. Sedighzadeh Dalavi^{XIV}, M. Zeinali^{LI,XIV}, S. Bashiri⁶², S. Chenarani⁶², S.M. Etesami⁶², Y. Hosseini⁶², M. Khakzad⁶², E. Khazaie⁶², M. Mohammadi Najafabadi⁶², S. Tizchang^{XLIX,62}, M. Felcini⁶³, M. Grunewald⁶³, M. Abbrescia^{65,66}, M. Barbieri^{65,66}, M. Buonsanti^{65,66}, A. Colaleo^{65,66}, D. Creanza^{65,67}, N. De Filippis^{65,67}, M. De Palma^{65,66}, W. Elmetenawee^{LVI,65,66}, N. Ferrara^{65,67}, L. Fiore⁶⁵, L. Generoso^{65,66}, L. Longo⁶⁵, M. Louka^{65,66}, G. Maggi^{65,67}, M. Maggi⁶⁵, I. Margjeka⁶⁵, V. Mastrapasqua^{65,66}, S. My^{65,66}, F. Nenna^{65,66}, S. Nuzzo^{65,66}, A. Pellecchia^{65,66}, A. Pompili^{65,66}, G. Pugliese^{65,67}, R. Radogna^{65,66}, D. Ramos⁶⁵, A. Ranieri⁶⁵, L. Silvestris⁶⁵, F.M. Simone^{65,67}, Ü. Sözbilir⁶⁵, A. Stamerra^{65,66}, D. Troiano^{65,66}, R. Venditti^{65,66}, P. Verwilligen⁶⁵, A. Zaza^{65,66}, G. Abbiendi⁶⁹, D. Bonacorsi^{69,70}, P. Capiluppi^{69,70}, F.R. Cavallo⁶⁹, M. Cuffiani^{69,70}, G.M. Dallavalle⁶⁹, T. Diotallevi^{69,70}, G. Fabbri⁶⁹, A. Fanfani^{69,70}, D. Fasanella⁶⁹, P. Giacomelli⁶⁹, C. Grandi⁶⁹, L. Guiducci^{69,70}, S. Lo Meo^{LIV,69}, M. Lorusso^{69,70}, L. Lunerti⁶⁹, S. Marcellini⁶⁹, G. Masetti⁶⁹, F.L. Navarra^{69,70}, G. Paggi^{69,70}, A. Perrotta⁶⁹, A.M. Rossi^{69,70}, S. Rossi Tisbeni^{69,70}, T. Rovelli^{69,70}, G.P. Siroli^{69,70}, S. Costa^{LII,72,73}, A. Di Mattia⁷², A. Lapertosa⁷², R. Potenza^{72,73}, A. Tricomi^{LII,72,73}, J. Altork^{75,76}, P. Assiouras⁷⁵, G. Barbagli⁷⁵, G. Bardelli⁷⁵, M. Bartolini^{75,76}, A. Calandri^{75,76}, B. Camaiani^{75,76}, A. Cassese⁷⁵, R. Ceccarelli⁷⁵, V. Ciulli^{75,76}, C. Ciminini⁷⁵, R. D'Alessandro^{75,76}, L. Damenti^{75,76}, E. Focardi^{75,76}, T. Kello⁷⁵, G. Latino^{75,76}, P. Lenzi^{75,76}, M. Lizzo⁷⁵, M. Meschini⁷⁵, S. Paoletti⁷⁵, A. Papanastassiou^{75,76}, G. Sguazzoni⁷⁵, L. Viliani⁷⁵, L. Benussi⁷⁷, S. Colafranceschi^{LV,77}, S. Meola^{LX,77}, D. Piccolo⁷⁷, M. Alves Gallo Pereira⁷⁹, F. Ferro⁷⁹, E. Robutti⁷⁹, S. Tosi^{79,80}, A. Benaglia⁸², F. Brivio⁸², V. Camagni^{82,83}, F. Cetorelli^{82,83}, F. De Guio^{82,83}, M.E. Dinardo^{82,83}, P. Dini⁸², S. Gennai⁸², R. Gerosa^{82,83}, A. Ghezzi^{82,83}, P. Govoni^{82,83}, L. Guzzi⁸², M.R. Kim⁸², G. Lavizzari^{82,83}, M.T. Lucchini^{82,83}, M. Malberti⁸², S. Malvezzi⁸², A. Massironi⁸², D. Menasce⁸², L. Moroni⁸², M. Paganoni^{82,83}, S. Palluot^{82,83}, D. Pedrini⁸², A. Perego^{82,83}, G. Pizzati^{82,83}, T. Tabarelli de Fatis^{82,83}, S. Buontempo⁸⁵, C. Di Fraia^{85,86}, F. Fabozzi^{85,87}, L. Favilla^{85,88}, A.O.M. Iorio^{85,86}, L. Lista^{LIX,85,86}, P. Paolucci^{XV,85}, B. Rossi⁸⁵, P. Azzi⁹⁰, N. Bacchetta⁹⁰, D. Bisello^{90,91}, L. Borella⁹⁰, P. Bortignon^{90,92}, G. Bortolato^{90,91}, A.C.M. Bulla^{90,92}, R. Carlin^{90,91}, T. Dorigo^{LVIII,90}, F. Gasparini^{90,91}, U. Gasparini^{90,91}, S. Giorgetti⁹⁰, E. Lusiani⁹⁰,

M. Margoni^{90,91}, A.T. Meneguzzo^{90,91}, M. Michelotto⁹⁰, J. Pazzini^{90,91}, F. Primavera^{90,91}, P. Ronchese^{90,91}, R. Rossin^{90,91}, M. Tosi^{90,91}, A. Triossi^{90,91}, S. Ventura⁹⁰, M. Zanetti^{90,91}, P. Zotto^{90,91}, A. Zucchetta^{90,91}, G. Zumerle^{90,91}, A. Braghieri⁹⁴, M. Brunoldi^{94,95}, S. Calzaferri^{94,95}, P. Montagna^{94,95}, M. Pelliccioni^{94,95}, V. Re⁹⁴, C. Riccardi^{94,95}, P. Salvini⁹⁴, I. Vai^{94,95}, P. Vitulo^{94,95}, S. Ajmal^{97,98}, M.E. Ascioti^{97,98}, G.M. Bilei^{XIII,97}, C. Carrivale^{97,98}, D. Ciangottini^{97,98}, L. Della Penna^{97,98}, L. Fanò^{97,98}, V. Mariani^{97,98}, M. Menichelli⁹⁷, F. Moscatelli^{LVII,97}, A. Rossi^{97,98}, A. Santocchia^{97,98}, D. Spiga⁹⁷, T. Tedeschi^{97,98}, C. Aime^{100,101}, C.A. Alexe^{100,102}, P. Aasen^{100,101}, P. Azzurri¹⁰⁰, G. Bagliesi¹⁰⁰, L. Bianchini^{100,101}, T. Boccali¹⁰⁰, E. Bossini¹⁰⁰, D. Bruschini^{100,102}, R. Castaldi¹⁰⁰, F. Cattafesta^{100,102}, M.A. Ciocci^{100,103}, M. Cipriani^{100,101}, R. Dell'Orso¹⁰⁰, S. Donato^{100,101}, R. Forti^{100,101}, A. Giassi¹⁰⁰, F. Ligabue^{100,102}, A.C. Marini^{100,101}, A. Messineo^{100,101}, S. Mishra¹⁰⁰, V.K. Muraleedharan Nair Bindhu^{100,101}, S. Nandan¹⁰⁰, F. Palla¹⁰⁰, M. Riggirello^{100,102}, A. Rizzi^{100,101}, G. Rolandi^{100,102}, S. Roy Chowdhury^{LIII,100}, T. Sarkar¹⁰⁰, A. Scribano¹⁰⁰, P. Solanki^{100,101}, P. Spagnolo¹⁰⁰, F. Tenchini^{100,101}, R. Tenchini¹⁰⁰, G. Tonelli^{100,101}, N. Turini^{100,103}, F. Vaselli^{100,102}, A. Venturi¹⁰⁰, P.G. Verdini¹⁰⁰, P. Akrap^{105,106}, C. Basile^{105,106}, S.C. Behera¹⁰⁵, F. Cavallari¹⁰⁵, L. Cunqueiro Mendez^{105,106}, F. De Ruggi^{105,106}, D. Del Re^{105,106}, M. Del Vecchio^{105,106}, E. Di Marco¹⁰⁵, M. Diemoz¹⁰⁵, F. Errico¹⁰⁵, L. Frosina^{105,106}, R. Gargiulo^{105,106}, B. Harikrishnan^{105,106}, F. Lombardi^{105,106}, E. Longo^{105,106}, L. Martikainen^{105,106}, J. Mijuskovic^{105,106}, G. Organtini^{105,106}, N. Palmeri^{105,106}, R. Paramatti^{105,106}, T. Pauletto^{105,106}, S. Rahatlou^{105,106}, C. Rovelli¹⁰⁵, F. Santanastasio^{105,106}, L. Soffi¹⁰⁵, V. Vladimirov^{105,106}, N. Amapane^{108,109}, R. Arcidiacono^{108,110}, S. Argiro^{108,109}, M. Arneodo^{XIII,108,110}, N. Bartosik^{108,110}, R. Bellan^{108,109}, A. Bellora^{108,109}, C. Biino¹⁰⁸, C. Borca^{108,109}, N. Cartiglia¹⁰⁸, M. Costa^{108,109}, R. Covarelli^{108,109}, N. Demaria¹⁰⁸, L. Finco¹⁰⁸, M. Grippo^{108,109}, B. Kiani^{108,109}, L. Lanteri^{108,109}, F. Legger¹⁰⁸, F. Luongo^{108,109}, C. Mariotti¹⁰⁸, S. Maselli¹⁰⁸, A. Mecca^{108,109}, L. Menzio^{108,109}, P. Meridiani¹⁰⁸, E. Migliore^{108,109}, M. Monteno¹⁰⁸, M.M. Obertino^{108,109}, G. Ortona¹⁰⁸, L. Pacher^{108,109}, N. Pastrone¹⁰⁸, M. Ruspá^{108,110}, F. Siviero^{108,109}, V. Sola^{108,109}, A. Solano^{108,109}, A. Staiano¹⁰⁸, C. Tarricone^{108,109}, D. Trocino¹⁰⁸, G. Umoret^{108,109}, E. Vlasov^{108,109}, R. White^{108,109}, J. Babbar^{LIII,112,113}, S. Belforte¹¹², V. Candelise^{112,113}, M. Casarsa¹¹², F. Cossutti¹¹², K. De Leo¹¹², G. Della Ricca^{112,113}, R. Delli Gatti^{112,113}, S. Dogra¹³⁴, J. Hong¹³⁴, J. Kim¹³⁴, T. Kim¹³⁴, D. Lee¹³⁴, H. Lee¹³⁴, J. Lee¹³⁴, S.W. Lee¹³⁴, C.S. Moon¹³⁴, Y.D. Oh¹³⁴, S. Sekmen¹³⁴, B. Tae¹³⁴, Y.C. Yang¹³⁴, M.S. Kim¹³⁵, G. Bak¹³⁶, P. Gwak¹³⁶, H. Kim¹³⁶, D.H. Moon¹³⁶, J. Seo¹³⁶, E. Asilar¹³⁷, F. Carnevali¹³⁷, J. Choi^{IV,137}, T.J. Kim¹³⁷, Y. Ryou¹³⁷, J. Song¹³⁷, S. Ha¹³⁸, S. Han¹³⁸, B. Hong¹³⁸, J. Kim¹³⁸, K. Lee¹³⁸, K.S. Lee¹³⁸, S. Lee¹³⁸, J. Yoo¹³⁸, J. Goh¹³⁹, J. Shin¹³⁹, S. Yang¹³⁹, Y. Kang¹⁴⁰, H. S. Kim¹⁴⁰, Y. Kim¹⁴⁰, B. Ko¹⁴⁰, S. Lee¹⁴⁰, J. Almond¹⁴¹, J.H. Bhyun¹⁴¹, J. Choi¹⁴¹, J. Choi¹⁴¹, W. Jun¹⁴¹, H. Kim¹⁴¹, J. Kim¹⁴¹, T. Kim¹⁴¹, Y. Kim¹⁴¹, Y.W. Kim¹⁴¹, S. Ko¹⁴¹, H. Lee¹⁴¹, J. Lee¹⁴¹, J. Lee¹⁴¹, B.H. Oh¹⁴¹, J. Shin¹⁴¹, U.K. Yang¹⁴¹, I. Yoon¹⁴¹, W. Jang¹⁴², D. Kim¹⁴², S. Kim¹⁴², J.S.H. Lee¹⁴², Y. Lee¹⁴², I.C. Park¹⁴², Y. Roh¹⁴², I.J. Watson¹⁴², G. Cho¹⁴³, K. Hwang¹⁴³, B. Kim¹⁴³, S. Kim¹⁴³, K. Lee¹⁴³, H.D. Yoo¹⁴³, Y. Lee¹⁴⁴, I. Yu¹⁴⁴, T. Beyer¹⁴⁴, Y. Gharbia¹¹⁴, F. Alazemi¹¹⁵, K. Dreimanis¹¹⁶, O.M. Eberlins¹¹⁶, A. Gaile¹¹⁶, C. Munoz Diaz¹¹⁶, D. Osite¹¹⁶, G. Pikurs¹¹⁶, R. Plese¹¹⁶, A. Potrebko¹¹⁶, M. Seidel¹¹⁶, D. Sidiropoulos Kontos¹¹⁶, N.R. Strautnieks¹¹⁷, M. Ambrozias¹¹⁸, A. Juodagalvis¹¹⁸, S. Nargelas¹¹⁸, A. Rinkevicius¹¹⁸, G. Tamulaitis¹¹⁸, I. Yusuff^{LI,119}, Z. Zolkapli¹¹⁹, J.F. Benitez¹²⁰, A. Castaneda Hernandez¹²⁰, A. Cota Rodriguez¹²⁰, L.E. Cuevas Picos¹²⁰, H.A. Encinas Acosta¹²⁰, L.G. Gallegos Maríñez¹²⁰, J.A. Murillo Quijada¹²⁰, L. Valencia Palomo¹²⁰, G. Ayala¹²¹, H. Castilla-Valdez¹²¹, H. Crotte Ledesma¹²¹, R. Lopez-Fernandez¹²¹, J. Mejia Guisao¹²¹, R. Reyes-Almanza¹²¹, A. Sánchez Hernández¹²¹, C. Oropeza Barrera¹²², D.L. Ramirez Guadarrama¹²², M. Ramírez García¹²², I. Bautista¹²³, F.E. Neri Huerta¹²³, I. Pedraza¹²³, H.A. Salazar Ibarquien¹²³, C. Uribe Estrada¹²³, I. Bujanja¹²⁴, N. Raicevic¹²⁴, P.H. Butler¹²⁵, A. Ahmad¹²⁶, M.I. Asghar¹²⁶, A. Awais¹²⁶, M.I.M. Awan¹²⁶, W.A. Khan¹²⁶, V. Avati¹²⁷, L. Forthomme¹²⁷, L. Grzanka¹²⁷, M. Malawski¹²⁷, K. Piotrkowski¹²⁷, M. Bluj¹²⁸, M. Górski¹²⁸, M. Kazana¹²⁸, M. Szeleper¹²⁸, P. Zalewski¹²⁸, K. Bunkowski¹²⁹, K. Doroba¹²⁹, A. Kalinowski¹²⁹, M. Konecki¹²⁹, J. Krolikowski¹²⁹, A. Muhammad¹²⁹, P. Fokow¹³⁰, K. Poźniak¹³⁰, W. Zabolotny¹³⁰, M. Araujo¹³¹, D. Bastos¹³¹, C. Beirão Da Cruz E Silva¹³¹, A. Boletti¹³¹, M. Bozzo¹³¹, T. Camporesi¹³¹, G. Da Molin¹³¹, M. Gallinaro¹³¹, J. Hollar¹³¹, N. Leonardo¹³¹, G.B. Marozzo¹³¹, A. Petrilli¹³¹, M. Pisano¹³¹, J. Seixas¹³¹, J. Varela¹³¹, J.W. Wulff¹³¹, P. Adzic¹³², L. Markovic¹³², P. Milenovic¹³², V. Milosevic¹³², D. Devetak¹³³, M. Dordevic¹³³, J. Milosevic¹³³, L. Nadderd¹³³, V. Rekovic¹³³, M. Stojanovic¹³³, M. Alcalde Martinez¹⁴⁵, J. Alcaraz Maestre¹⁴⁵, Cristina F. Bedoya¹⁴⁵, J.A. Brochero Cifuentes¹⁴⁵, Oliver M. Carretero¹⁴⁵, M. Cepeda¹⁴⁵, M. Cerrada¹⁴⁵, N. Colino¹⁴⁵, B. De La Cruz¹⁴⁵, A. Delgado Peris¹⁴⁵, A. Escalante Del Valle¹⁴⁵, D. Fernández Del Val¹⁴⁵, J.P. Fernández Ramos¹⁴⁵, J. Flix¹⁴⁵, M.C. Fouz¹⁴⁵, M. Gonzalez Hernandez¹⁴⁵, O. Gonzalez Lopez¹⁴⁵, S. Goy Lopez¹⁴⁵, J.M. Hernandez¹⁴⁵, M.I. Josa¹⁴⁵, J. Llorente Merino¹⁴⁵, C. Martin Perez¹⁴⁵, E. Martin Viscasillas¹⁴⁵, D. Moran¹⁴⁵, C. M. Morcillo Perez¹⁴⁵, Á. Navarro Tobar¹⁴⁵, R. Paz Herrera¹⁴⁵, A. Pérez-Calero Yzquierdo¹⁴⁵, J. Puerta Pelayo¹⁴⁵, I. Redondo¹⁴⁵, J. Vazquez Escobar¹⁴⁵, J.F. de Trocóniz¹⁴⁶, B. Alvarez Gonzalez¹⁴⁷, J. Ayllon Torresano¹⁴⁷, A. Cardini¹⁴⁷, J. Cuevas¹⁴⁷, J. Del Riego Badas¹⁴⁷, D. Estrada Acevedo¹⁴⁷, J. Fernandez Menendez¹⁴⁷, S. Folgueras¹⁴⁷, I. Gonzalez Caballero¹⁴⁷, P. Leguina¹⁴⁷, M. Obeso Menendez¹⁴⁷, E. Palencia Cortezon¹⁴⁷, J. Prado Pico¹⁴⁷, A. Soto Rodríguez¹⁴⁷, P. Vischia¹⁴⁷, S. Blanco Fernández¹⁴⁸, I.J. Cabrillo¹⁴⁸, A. Calderon¹⁴⁸, J. Duarte Campderros¹⁴⁸, M. Fernandez¹⁴⁸, G. Gomez¹⁴⁸, C. Lasasa Garcia¹⁴⁸, R. Lopez Ruiz¹⁴⁸, C. Martinez Rivero¹⁴⁸, P. Martinez Ruiz del Arbol¹⁴⁸, F. Matorras¹⁴⁸, P. Matorras Cuevas¹⁴⁸, E. Navarrete Ramos¹⁴⁸, J. Piedra Gomez¹⁴⁸, C. Quintana San Emeterio¹⁴⁸, L. Scodellaro¹⁴⁸, I. Vila¹⁴⁸, R. Vilar Cortabitarte¹⁴⁸, J.M. Vizan Garcia¹⁴⁸, B. Kailasapathy^{LXIII,149}, D.D.C. Wickramarathna¹⁴⁹, W.G.D. Dharmaratna^{LXII,150}, K. Liyanage¹⁵⁰, N. Perera¹⁵⁰, D. Abbaneo^{XV}, C. Amendola^{XV}, R. Ardino^{XV}, E. Auffray^{XV}, J. Baechler^{XV}, D. Barney^{XV}, J. Bendavid^{XV}, M. Bianco^{XV}, A. Bocci^{XV}, L. Borghoni^{XV}, C. Botta^{XV}, A. Bragagnolo^{XV}, C.E. Brown^{XV}, C. Caillol^{XV}, G. Cerminara^{XV}, P. Connor^{XV}, K. Cormier^{XV}, D. d'Enterria^{XV}, A. Dabrowski^{XV}, A. David^{XV}, A. De Roeck^{XV}, M.M. Defranchis^{XV}, M. Deile^{XV}, M. Dobson^{XV}, P.J. Fernández Manteca^{XV}, B.A. Fontana Santos Alves^{XV}, E. Fontanesi^{XV}, W. Funk^{XV}, A. Gaddi^{XV}, S. Giani^{XV}, D. Gigi^{XV}, K. Gill^{XV}, F. Glege^{XV}, M. Glowacki^{XV}, A. Gruber^{XV}, J. Hegeman^{XV}, J.K. Heikkilä^{XV}, R. Hofsaess^{XV}, B. Huber^{XV}, T. James^{XV}, P. Janot^{XV}, O. Kaluzinska^{XV}, O. Karacheban^{XL,XV}, G. Karathanasis^{XV}, S. Laurila^{XV}, P. Lecoq^{XV}, E. Leutgeb^{XV}, C. Lourenço^{XV}, A.-M. Lyon^{XV}, M. Magherini^{XV}, L. Malgeri^{XV}, M. Mannelli^{XV}, A. Mehta^{XV}, F. Meijers^{XV}, J.A. Merlin^{XV}, S. Mersi^{XV}, E. Meschi^{XV}, M. Migliorini^{XV}, F. Monti^{XV}, F. Moortgat^{XV}, M. Mulders^{XV}, M. Musich^{XV}, I. Neutelings^{XV}, S. Orfanelli^{XV}, F. Pantaleo^{XV}, M. Pari^{XV}, G. Petrucciani^{XV}, A. Pfeiffer^{XV}, M. Pierini^{XV}, M. Pitt^{XV}, H. Qu^{XV}, D. Rabady^{XV}, A. Reimers^{XV}, B. Ribeiro Lopes^{XV}, F. Riti^{XV}, P. Rosado^{XV}, M. Rovere^{XV}, H. Sakulin^{XV}, R. Salvatico^{XV}, S. Sanchez Cruz^{XV}, S. Scarfi^{XV}, M. Selvaggi^{XV}, K. Shchelina^{XV}, P. Silva^{XV}, P. Sphicas^{IX,XV}, A.G. Stahl Leiton^{XV}, A. Steen^{XV}, S. Summers^{XV}, D. Treille^{XV}, P. Tropea^{XV}, E. Vernazza^{XV}, J. Wanczyk^{LXIV,XV}, S. Wuchterl^{XV}, M. Zarucki^{XV}, P. Zehetner^{XV}, P. Zejd^{XV}, G. Zevi Della Porta^{XV}, L. Caminada^{XVI,151}, W. Erdmann¹⁵¹, R. Horisberger¹⁵¹, Q. Ingram¹⁵¹, H.C. Kaestli¹⁵¹, D. Kotlinski¹⁵¹, C. Lange¹⁵¹, U. Langenegger¹⁵¹, A. Nigamova¹⁵¹, L. Noehte^{XVI,151}

T. Rohe¹⁵¹, A. Samalan¹⁵¹, T.K. Aarrestad¹⁵², M. Backhaus¹⁵², T. Bevilacqua^{XVI,152}, G. Bonomelli¹⁵², C. Cazzaniga¹⁵², K. Datta¹⁵², P. De Bryas¹⁵², D'Archiacchiac^{LXIV,152}, A. De Cosa¹⁵², G. Dissertori¹⁵², M. Dittmar¹⁵², M. Donega¹⁵², F. Glessgen¹⁵², C. Grab¹⁵², N. Härringer¹⁵², T.G. Harte¹⁵², W. Lustermann¹⁵², M. Malucchi¹⁵², R.A. Manzoni¹⁵², L. Marchese¹⁵², A. Mascellani^{LXIV,152}, F. Nessi-Tedaldi¹⁵², F. Pauss¹⁵², B. Ristic¹⁵², R. Seidita¹⁵², J. Steggemann^{LXIV,152}, A. Tarabini¹⁵², D. Valsecchi¹⁵², R. Wallny¹⁵², C. Amsler^{LXV,152}, P. Bärtshchi^{XVI}, F. Bilandzija^{XVI}, M.F. Canelli^{XVI}, G. Celotto^{XVI}, V. Guglielmi^{XVI}, A. Jofrehej^{XVI}, B. Kilminster^{XVI}, T.H. Kwok^{XVI}, S. Leontsinis^{XVI}, V. Lukashenko^{XVI}, A. Macchiolo^{XVI}, F. Meng^{XVI}, M. Missiroli^{XVI}, J. Motta^{XVI}, P. Robmann^{XVI}, E. Shokr^{XVI}, F. Stäger^{XVI}, R. Tramontano^{XVI}, P. Viscone^{XVI}, D. Bhowmik¹⁵³, C.M. Kuo¹⁵³, P.K. Rout¹⁵³, S. Taj¹⁵³, P.C. Tiwari^{LXV,153}, L. Ceard¹⁵⁴, K.F. Chen¹⁵⁴, Z.g. Chen¹⁵⁴, A. De Iorio¹⁵⁴, W.-S. Hou¹⁵⁴, T.h. Hsu¹⁵⁴, Y.w. Kao¹⁵⁴, S. Karmakar¹⁵⁴, G. Kole¹⁵⁴, Y.y. Li¹⁵⁴, R.-S. Lu¹⁵⁴, E. Paganis¹⁵⁴, X.f. Su¹⁵⁴, J. Thomas-Wilsker¹⁵⁴, L.s. Tsai¹⁵⁴, D. Tsionou¹⁵⁴, H.y. Wu¹⁵⁴, E. Yazgan¹⁵⁴, C. Asawatangtrakuldee¹⁵⁵, N. Srimanobhas¹⁵⁵, Y. Maghrbi¹⁵⁶, D. Agyel¹⁵⁷, F. Dolek¹⁵⁷, I. Dumanoglu^{LXXVI,157}, Y. Guler^{LXXIV,157}, E. Gurpinar^{LXXIV,157}, C. Isik¹⁵⁷, O. Kara^{LXXVIII,157}, A. Kayis Topaksu¹⁵⁷, Y. Komurcu¹⁵⁷, G. Onengut¹⁵⁷, K. Ozdemir^{LXXII,157}, B. Tali^{LXVI,157}, U.G. Tok¹⁵⁷, E. Uslan¹⁵⁷, I.S. Zorbakir¹⁵⁷, S. Sen¹⁵⁸, M. Yalvac^{LXXIX,159}, B. Akgun¹⁶⁰, I.O. Atakisi^{LXX,160}, E. Gülmez¹⁶⁰, M. Kaya^{LXXV,160}, O. Kaya^{LXXI,160}, M.A. Sarkisla^{LXVII,160}, S. Tekten^{LXXIII,160}, D. Boncuku¹⁶¹, A. Cakir¹⁶¹, K. Cankocak^{LXXVI,LXXVII,161}, B. Hacisahinoglu¹⁶², I. Hos^{LXVIII,162}, B. Kaynak¹⁶², S. Ozkorucuklu¹⁶², O. Potok¹⁶², H. Sert¹⁶², C. Simsek¹⁶², C. Zorbilmez¹⁶², S. Cerci¹⁶³, C. Dozen^{LXIX,163}, B. Isildak¹⁶³, E. Simsek¹⁶³, D. Sunar Cerci¹⁶³, T. Yetkin^{LXIX,163}, A. Boyaryntsev¹⁶⁴, O. Dadazhanova¹⁶⁴, B. Grynyov¹⁶⁴, L. Levchuk¹⁶⁵, J.J. Brooke¹⁶⁶, A. Bundock¹⁶⁶, F. Bury¹⁶⁶, E. Clement¹⁶⁶, D. Cussans¹⁶⁶, D. Dharmender¹⁶⁶, H. Flacher¹⁶⁶, J. Goldstein¹⁶⁶, H.F. Heath¹⁶⁶, M.-L. Holmberg¹⁶⁶, L. Kreczko¹⁶⁶, S. Paramesvaran¹⁶⁶, L. Robertshaw¹⁶⁶, M.S. Sanjrani^{VII,166}, J. Segal¹⁶⁶, V.J. Smith¹⁶⁶, A.H. Ball¹⁶⁷, K.W. Bell¹⁶⁷, A. Belyaev^{XC,167}, C. Brew¹⁶⁷, R.M. Brown¹⁶⁷, D.J.A. Cockerill¹⁶⁷, A. Elliot¹⁶⁷, K.V. Ellis¹⁶⁷, J. Gajownik¹⁶⁷, K. Harder¹⁶⁷, S. Harper¹⁶⁷, J. Linacre¹⁶⁷, K. Manolopoulos¹⁶⁷, M. Moallemi¹⁶⁷, D.M. Newbold¹⁶⁷, E. Olaiya¹⁶⁷, D. Petyt¹⁶⁷, T. Reis¹⁶⁷, A.R. Sahasransu¹⁶⁷, G. Salvi¹⁶⁷, T. Schuh¹⁶⁷, C.H. Shepherd-Themistocleous¹⁶⁷, I.R. Tomalin¹⁶⁷, K.C. Whalen¹⁶⁷, T. Williams¹⁶⁷, I. Andreou^{XVII}, R. Bainbridge^{XVII}, P. Bloch^{XVII}, O. Buchmuller^{XVII}, C.A. Carrillo Montoya^{XVII}, D. Colling^{XVII}, I. Das^{XVII}, P. Dauncey^{XVII}, G. Davies^{XVII}, M. Della Negra^{XVII}, S. Fayer^{XVII}, G. Fedi^{XVII}, G. Hall^{XVII}, H.R. Hoorani^{XVII}, A. Howard^{XVII}, G. Iles^{XVII}, C.R. Knight^{XVII}, P. Krueper^{XVII}, J. Langford^{XVII}, K.H. Law^{XVII}, J. León Holgado^{XVII}, L. Lyons^{XVII}, A.-M. Magnan^{XVII}, B. Maier^{XVII}, S. Mallios^{XVII}, A. Mastronikolis^{XVII}, M. Mieskolainen^{XVII}, J. Nash^{LXXXIX,XVII}, M. Pesaresi^{XVII}, P.B. Pradeep^{XVII}, B.C. Radburn-Smith^{XVII}, A. Richards^{XVII}, A. Rose^{XVII}, L. Russell^{XVII}, K. Savva^{XVII}, R. Schmitz^{XVII}, C. Seez^{XVII}, R. Shukla^{XVII}, A. Tapper^{XVII}, K. Uchida^{XVII}, G.P. Uttley^{XVII}, T. Virdee^{XV,XVII}, M. Vojinovic^{XVII}, N. Wardle^{XVII}, D. Winterbottom^{XVII}, J.E. Cole¹⁶⁸, A. Khan¹⁶⁸, P. Kyberd¹⁶⁸, I.D. Reid¹⁶⁸, S. Abdullin¹⁶⁹, A. Brinkerhoff¹⁶⁹, E. Collins¹⁶⁹, M.R. Darwish¹⁶⁹, J. Dittmann¹⁶⁹, K. Hatakeyama¹⁶⁹, V. Hegde¹⁶⁹, J. Hiltbrand¹⁶⁹, B. McMaster¹⁶⁹, J. Samudio¹⁶⁹, S. Sawant¹⁶⁹, C. Sutantawibul¹⁶⁹, J. Wilson¹⁶⁹, J.M. Hogan¹⁷⁰, R. Bartek¹⁷¹, A. Dominguez¹⁷¹, S. Raj¹⁷¹, B. Sahu¹⁷¹, A.E. Simsek¹⁷¹, S.S. Yu¹⁷¹, B. Bam¹⁷², A. Buchot Perraguin¹⁷², S. Campbell¹⁷², R. Chudasama¹⁷², S.I. Cooper¹⁷², C. Crovella¹⁷², G. Fidalgo¹⁷², S.V. Gleyzer¹⁷², A. Khukhunaishvili¹⁷², K. Matchev¹⁷², E. Pearson¹⁷², P. Rumerio^{LXXXVIII,172}, E. Usai¹⁷², R. Yi¹⁷², S. Cholak¹⁷³, G. De Castro¹⁷³, Z. Demiragli¹⁷³, C. Erice¹⁷³, C. Fangmeier¹⁷³, C. Fernandez Madrazo¹⁷³, J. Fulcher¹⁷³, F. Golf¹⁷³, S. Jeon¹⁷³, J. O'Cain¹⁷³, I. Reed¹⁷³, R.M. Resendiz¹⁷³, J. Rohlf¹⁷³, K. Salyer¹⁷³, A.G. Sperka¹⁷³, D. Spitzbart¹⁷³, I. Suarez¹⁷³, A. Tsatsos¹⁷³, E. Wurtz¹⁷³, A.G. Zecchinelli¹⁷³, G. Barone¹⁷⁴, G. Benelli¹⁷⁴, D. Cutts¹⁷⁴, S. Ellis¹⁷⁴, L. Gouskos¹⁷⁴, M. Hadley¹⁷⁴, U. Heintz¹⁷⁴, K.W. Ho¹⁷⁴, T. Kwon¹⁷⁴, L. Lambrecht¹⁷⁴, G. Landsberg¹⁷⁴, K.T. Lau¹⁷⁴, J. Luo¹⁷⁴, S. Mondal¹⁷⁴, J. Roloff¹⁷⁴, T. Russell¹⁷⁴, S. Sagir^{LXXXIV,174}, X. Shen¹⁷⁴, M. Stamenkovic¹⁷⁴, N. Venkatasubramanian¹⁷⁴, S. Abbott¹⁷⁵, S. Baradia¹⁷⁵, B. Barton¹⁷⁵, R. Breedon¹⁷⁵, H. Cai¹⁷⁵, M. Calderon De La Barca Sanchez¹⁷⁵, E. Canaert¹⁷⁵, M. Chertok¹⁷⁵, M. Citron¹⁷⁵, J. Conway¹⁷⁵, P.T. Cox¹⁷⁵, F. Eble¹⁷⁵, R. Erbacher¹⁷⁵, O. Kukral¹⁷⁵, G. Mocellin¹⁷⁵, S. Ostrom¹⁷⁵, I. Salazar Segovia¹⁷⁵, J.S. Tafoya Vargas¹⁷⁵, W. Wei¹⁷⁵, S. Yoo¹⁷⁵, K. Adamidis¹⁷⁶, M. Bachtis¹⁷⁶, D. Campos¹⁷⁶, R. Cousins¹⁷⁶, S. Crossley¹⁷⁶, G. Flores Avila¹⁷⁶, J. Hauser¹⁷⁶, M. Ignatenko¹⁷⁶, M.A. Iqbal¹⁷⁶, T. Lam¹⁷⁶, Y.f. Lo¹⁷⁶, E. Manca¹⁷⁶, A. Nunez Del Prado¹⁷⁶, D. Saltzberg¹⁷⁶, V. Valuev¹⁷⁶, R. Clare¹⁷⁷, J.W. Gary¹⁷⁷, G. Hanson¹⁷⁷, A. Aportela¹⁷⁸, A. Arora¹⁷⁸, J.G. Branson¹⁷⁸, S. Cittolin¹⁷⁸, S. Cooperstein¹⁷⁸, B. D'Anzi¹⁷⁸, D. Diaz¹⁷⁸, J. Duarte¹⁷⁸, L. Giannini¹⁷⁸, Y. Gu¹⁷⁸, J. Guiang¹⁷⁸, V. Krutelyov¹⁷⁸, R. Lee¹⁷⁸, J. Letts¹⁷⁸, H. Li¹⁷⁸, M. Masciovecchio¹⁷⁸, F. Mokhtar¹⁷⁸, S. Mukherjee¹⁷⁸, M. Pieri¹⁷⁸, D. Primosch¹⁷⁸, M. Quinlan¹⁷⁸, V. Sharma¹⁷⁸, M. Tadel¹⁷⁸, E. Vourliotis¹⁷⁸, F. Würthwein¹⁷⁸, A. Yagil¹⁷⁸, Z. Zhao¹⁷⁸, A. Barzdukas¹⁷⁹, L. Brennan¹⁷⁹, C. Campagnari¹⁷⁹, S. Carron Montero^{LXXXIII,179}, K. Downham¹⁷⁹, C. Grieco¹⁷⁹, M.M. Hussain¹⁷⁹, J. Incandela¹⁷⁹, M.W.K. Lai¹⁷⁹, A.J. Li¹⁷⁹, P. Masterson¹⁷⁹, J. Richman¹⁷⁹, S.N. Santpur¹⁷⁹, D. Stuart¹⁷⁹, T.Á. Vami¹⁷⁹, X. Yan¹⁷⁹, D. Zhang¹⁷⁹, A. Albert^{XVIII}, S. Bhattacharya^{XVIII}, A. Bornheim^{XVIII}, O. Cerri^{XVIII}, R. Kansal^{XVIII}, H.B. Newman^{XVIII}, G. Reales Gutiérrez^{XVIII}, T. Sievert^{XVIII}, M. Spiropulu^{XVIII}, J.R. Vlimant^{XVIII}, R.A. Wynne^{XVIII}, S. Xie^{XVIII}, J. Alison¹⁸⁰, S. An¹⁸⁰, M. Cremonesi¹⁸⁰, V. Dutta¹⁸⁰, E.Y. Ertorer¹⁸⁰, T. Ferguson¹⁸⁰, T.A. Gómez Espinosa¹⁸⁰, A. Harila¹⁸⁰, A. Kallil Tharayil¹⁸⁰, M. Kanemura¹⁸⁰, C. Liu¹⁸⁰, M. Marchegiani¹⁸⁰, P. Meiring¹⁸⁰, S. Murthy¹⁸⁰, P. Palit¹⁸⁰, K. Park¹⁸⁰, M. Paulini¹⁸⁰, A. Roberts¹⁸⁰, A. Sanchez¹⁸⁰, W. Terrill¹⁸⁰, J.P. Cumalat¹⁸¹, W.T. Ford¹⁸¹, A. Hart¹⁸¹, S. Kwan¹⁸¹, J. Parkes¹⁸¹, C. Savard¹⁸¹, N. Schonbeck¹⁸¹, K. Stenson¹⁸¹, K.A. Ulmer¹⁸¹, S.R. Wagner¹⁸¹, N. Zipper¹⁸¹, D. Zuolo¹⁸¹, J. Alexander¹⁸², X. Chen¹⁸², J. Dickinson¹⁸², A. Duquette¹⁸², J. Fan¹⁸², X. Fan¹⁸², J. Grassi¹⁸², S. Hogan¹⁸², P. Kotamnives¹⁸², J. Monroy¹⁸², G. Niendorf¹⁸², M. Oshiro¹⁸², J.R. Patterson¹⁸², A. Ryd¹⁸², J. Thom¹⁸², P. Wittich¹⁸², R. Zou¹⁸², L. Zygala¹⁸², M. Albrow^{XIX}, M. Alyari^{XIX}, O. Amram^{XIX}, G. Apollinari^{XIX}, A. Apresyan^{XIX}, L.A.T. Bauerdick^{XIX}, D. Berry^{XIX}, J. Berryhill^{XIX}, P.C. Bhat^{XIX}, K. Burkett^{XIX}, J.N. Butler^{XIX}, A. Canepa^{XIX}, G.B. Cerati^{XIX}, H.W.K. Cheung^{XIX}, F. Chlebana^{XIX}, C. Cosby^{XIX}, G. Cummings^{XIX}, I. Dutta^{XIX}, V.D. Elvira^{XIX}, J. Freeman^{XIX}, G. Gandrakota^{XIX}, Z. Gecse^{XIX}, L. Gray^{XIX}, D. Green^{XIX}, A. Grummer^{XIX}, S. Grünendahl^{XIX}, D. Guerrero^{XIX}, O. Gutsche^{XIX}, R.M. Harris^{XIX}, J. Hirschauer^{XIX}, V. Innocente^{XIX}, B. Jayatilaka^{XIX}, S. Jindariani^{XIX}, M. Johnson^{XIX}, U. Joshi^{XIX}, R.S. Kim^{XIX}, B. Klima^{XIX}, S. Lammel^{XIX}, D. Lincoln^{XIX}, R. Lipton^{XIX}, T. Liu^{XIX}, K. Maeshima^{XIX}, D. Mason^{XIX}, P. McBride^{XIX}, P. Merkel^{XIX}, S. Mrenna^{XIX}, S. Nahn^{XIX}, J. Ngadiuba^{XIX}, D. Noonan^{XIX}, S. Norberg^{XIX}, V. Papadimitriou^{XIX}, N. Pastika^{XIX}, K. Pedro^{XIX}, C. Pena^{XVIII,XIX}, C.E. Perez Lara^{XIX}, V. Perovic^{XIX}, F. Ravera^{XIX}, A. Reinsvold Hal^{LXXX,XIX}, L. Ristori^{XIX}, M. Safdari^{XIX}, E. Sexton-Kennedy^{XIX}, E. Smith^{XIX}, N. Smith^{XIX}, A. Soha^{XIX}, L. Spiegel^{XIX}, S. Stoynev^{XIX}, J. Strait^{XIX}, L. Taylor^{XIX}, S. Tkaczyk^{XIX}, N.V. Tran^{XIX}, L. Uplegger^{XIX}, E.W. Vaandering^{XIX}, C. Wang^{XIX}, I. Zoi^{XIX}, C. Aruta¹⁸³, P. Avery¹⁸³, D. Bourilkov¹⁸³, P. Chang¹⁸³, V. Cherepanov¹⁸³, R.D. Field¹⁸³, C. Huh¹⁸³, E. Koenig¹⁸³, M. Kolosova¹⁸³, J. Konigsberg¹⁸³, A. Korytov¹⁸³, G. Mitselmakher¹⁸³, K. Mohrman¹⁸³, A. Muthirakalayil Madhu¹⁸³, N. Rawal¹⁸³, S. Rosenzweig¹⁸³, V. Sulimov¹⁸³, Y. Takahashi¹⁸³, J. Wang¹⁸³, T. Adams¹⁸⁴, A. Al Kadhimi¹⁸⁴, A. Askew¹⁸⁴, S. Bower¹⁸⁴, R. Goff¹⁸⁴

R. Hashmi¹⁸⁴, A. Hassani¹⁸⁴, T. Kolberg¹⁸⁴, G. Martinez¹⁸⁴, M. Mazza¹⁸⁴, H. Prosper¹⁸⁴, P.R. Prova¹⁸⁴, R. Yohay¹⁸⁴, B. Alsufyani¹⁸⁵, S. Butalla¹⁸⁵, S. Das¹⁸⁵, M. Hohlmann¹⁸⁵, M. Lavinsky¹⁸⁵, E. Yanes¹⁸⁵, M.R. Adams¹⁸⁶, N. Barnett¹⁸⁶, A. Baty¹⁸⁶, C. Bennett¹⁸⁶, R. Cavanaugh¹⁸⁶, R. Escobar Franco¹⁸⁶, O. Evdokimov¹⁸⁶, C.E. Gerber¹⁸⁶, H. Gupta¹⁸⁶, M. Hawksworth¹⁸⁶, A. Hingrajiya¹⁸⁶, D.J. Hofman¹⁸⁶, Z. Huang¹⁸⁶, J.h. Lee¹⁸⁶, C. Mills¹⁸⁶, S. Nanda¹⁸⁶, G. Nigmatkulov¹⁸⁶, B. Ozek¹⁸⁶, T. Phan¹⁸⁶, D. Pilipovic¹⁸⁶, R. Pradhan¹⁸⁶, E. Prifti¹⁸⁶, P. Roy¹⁸⁶, T. Roy¹⁸⁶, D. Shekar¹⁸⁶, N. Singh¹⁸⁶, A. Thielen¹⁸⁶, M.B. Tonjes¹⁸⁶, N. Varelas¹⁸⁶, M.A. Wadud¹⁸⁶, J. Yoo¹⁸⁶, M. Alhusseini^{XX}, D. Blend^{XX}, K. Dilsiz^{LXXXI,XX}, O.K. Köseyan^{XX}, A. Mestvirishvili^{V,XX}, O. Neogi^{XX}, H. Ogul^{LXXXVII,XX}, Y. Onel^{XX}, A. Penzo^{XX}, C. Snyder^{XX}, E. Tiras^{LXXXV,XX}, B. Blumenfeld¹⁸⁷, J. Davis¹⁸⁷, A.V. Gritsan¹⁸⁷, L. Kang¹⁸⁷, S. Kyriacou¹⁸⁷, P. Maksimovic¹⁸⁷, M. Roguljic¹⁸⁷, S. Sekhar¹⁸⁷, M.V. Srivastav¹⁸⁷, M. Swartz¹⁸⁷, A. Abreu^{XXI}, L.F. Alcerro Alcerro^{XXI}, J. Anguiano^{XXI}, S. Arteaga Escatel^{XXI}, P. Baringer^{XXI}, A. Bean^{XXI}, R. Bhattacharya^{XXI}, Z. Flowers^{XXI}, D. Grove^{XXI}, J. King^{XXI}, G. Krintiras^{XXI}, M. Lazarovits^{XXI}, C. Le Mahieu^{XXI}, J. Marquez^{XXI}, M. Murray^{XXI}, M. Nickel^{XXI}, S. Popescu^{LXXXII,XXI}, C. Rogan^{XXI}, C. Royon^{XXI}, S. Rudrabhatla^{XXI}, S. Sanders^{XXI}, C. Smith^{XXI}, G. Wilson^{XXI}, B. Allmond¹⁸⁸, N. Islam¹⁸⁸, A. Ivanov¹⁸⁸, K. Kaadze¹⁸⁸, Y. Maravin¹⁸⁸, J. Natoli¹⁸⁸, G.G. Reddy¹⁸⁸, D. Roy¹⁸⁸, G. Sorrentino¹⁸⁸, A. Baden¹⁸⁹, A. Belloni¹⁸⁹, J. Bistany-riebman¹⁸⁹, S.C. Eno¹⁸⁹, N.J. Hadley¹⁸⁹, S. Jabeen¹⁸⁹, R.G. Kellogg¹⁸⁹, T. Koeth¹⁸⁹, B. Kronheim¹⁸⁹, S. Lascio¹⁸⁹, P. Major¹⁸⁹, A.C. Mignerey¹⁸⁹, C. Palmer¹⁸⁹, C. Papageorgakis¹⁸⁹, M.M. Paranjpe¹⁸⁹, E. Popova^{XCII,189}, A. Shevelev¹⁸⁹, L. Zhang¹⁸⁹, C. Baldenegro Barrera¹⁹⁰, H. Bossi¹⁹⁰, S. Bright-Thonney¹⁹⁰, I.A. Cali¹⁹⁰, Y.c. Chen¹⁹⁰, P.c. Chou¹⁹⁰, M. D'Alfonso¹⁹⁰, J. Eysermans¹⁹⁰, C. Freer¹⁹⁰, G. Gomez-Ceballos¹⁹⁰, M. Goncharov¹⁹⁰, G. Grosso¹⁹⁰, P. Harris¹⁹⁰, D. Hoang¹⁹⁰, G.M. Innocenti¹⁹⁰, K. Ivanov¹⁹⁰, G. Kopp¹⁹⁰, D. Kovalsky¹⁹⁰, J. Krupa¹⁹⁰, L. Lavezzo¹⁹⁰, Y.-J. Lee¹⁹⁰, K. Long¹⁹⁰, P. Lugato¹⁹⁰, C. McGinn¹⁹⁰, A. Novak¹⁹⁰, M.I. Park¹⁹⁰, C. Paus¹⁹⁰, C. Reissel¹⁹⁰, C. Roland¹⁹⁰, G. Roland¹⁹⁰, S. Rothman¹⁹⁰, T.a. Sheng¹⁹⁰, G.S.F. Stephans¹⁹⁰, D. Walter¹⁹⁰, J. Wang¹⁹⁰, Z. Wang¹⁹⁰, B. Wyslouch¹⁹⁰, T. J. Yang¹⁹⁰, A. Alpina¹⁹¹, B. Crossman¹⁹¹, W.J. Jackson¹⁹¹, C. Kapsiak¹⁹¹, M. Krohn¹⁹¹, D. Mahon¹⁹¹, J. Mans¹⁹¹, B. Marzocchi¹⁹¹, R. Rusack¹⁹¹, O. Sancar¹⁹¹, R. Saradhy¹⁹¹, N. Strobbe¹⁹¹, K. Bloom¹⁹², D.R. Claes¹⁹², G. Haza¹⁹², J. Hossain¹⁹², C. Joo¹⁹², I. Kravchenko¹⁹², K.H.M. Kwok¹⁹², A. Rohilla¹⁹², J.E. Siado¹⁹², W. Tabb¹⁹², A. Vagnerini¹⁹², A. Wightman¹⁹², F. Yan¹⁹², H. Bandyopadhyay¹⁹³, L. Hay¹⁹³, H.w. Hsia¹⁹³, I. Iashvili¹⁹³, A. Kalogeropoulos¹⁹³, A. Kharchilava¹⁹³, A. Mandal¹⁹³, M. Morris¹⁹³, D. Nguyen¹⁹³, S. Rappoccio¹⁹³, H. Rejeb Sfar¹⁹³, A. Williams¹⁹³, D. Yu¹⁹³, A. Aarif¹⁹⁴, G. Alverson¹⁹⁴, E. Barberis¹⁹⁴, J. Bonilla¹⁹⁴, B. Bylsma¹⁹⁴, M. Campana¹⁹⁴, J. Dervan¹⁹⁴, Y. Haddad¹⁹⁴, Y. Han¹⁹⁴, I. Israr¹⁹⁴, A. Krishna¹⁹⁴, M. Lu¹⁹⁴, N. Manganeli¹⁹⁴, R. Mccarthy¹⁹⁴, D.M. Morse¹⁹⁴, T. Orimoto¹⁹⁴, L. Skinnari¹⁹⁴, C.S. Thoreson¹⁹⁴, E. Tsai¹⁹⁴, D. Wood¹⁹⁴, S. Dittmer¹⁹⁵, K.A. Hahn¹⁹⁵, M. McGinnis¹⁹⁵, Y. Miao¹⁹⁵, D.G. Monk¹⁹⁵, M.H. Schmitt¹⁹⁵, A. Taliencio¹⁹⁵, M. Velasco¹⁹⁵, J. Wang¹⁹⁵, G. Agarwal¹⁹⁶, R. Band¹⁹⁶, R. Bucci¹⁹⁶, S. Castells¹⁹⁶, A. Das¹⁹⁶, A. Datta¹⁹⁶, A. Ehnis¹⁹⁶, R. Goldouzian¹⁹⁶, M. Hildreth¹⁹⁶, K. Hurtado Anampa¹⁹⁶, T. Ivanov¹⁹⁶, C. Jessop¹⁹⁶, A. Karneyeu¹⁹⁶, K. Lannon¹⁹⁶, J. Lawrence¹⁹⁶, N. Loukas¹⁹⁶, L. Lutton¹⁹⁶, J. Mariano¹⁹⁶, N. Marinelli¹⁹⁶, T. McCauley¹⁹⁶, C. Mcgrady¹⁹⁶, C. Moore¹⁹⁶, Y. Musienko^{XCII,196}, H. Nelson¹⁹⁶, M. Osherson¹⁹⁶, A. Piccinelli¹⁹⁶, R. Ruchti¹⁹⁶, A. Townsend¹⁹⁶, Y. Wan¹⁹⁶, M. Wayne¹⁹⁶, H. Yockey¹⁹⁶, M. Carrigan¹⁹⁷, R. De Los Santos¹⁹⁷, L.S. Durkin¹⁹⁷, C. Hill¹⁹⁷, M. Joyce¹⁹⁷, D.A. Wenzl¹⁹⁷, B.L. Winer¹⁹⁷, B. R. Yates¹⁹⁷, H. Bouchamaoui¹⁹⁸, G. Dezoort¹⁹⁸, P. Elmer¹⁹⁸, A. Frankenthal¹⁹⁸, M. Galli¹⁹⁸, B. Greenberg¹⁹⁸, N. Haubrich¹⁹⁸, K. Kennedy¹⁹⁸, Y. Lai¹⁹⁸, D. Lange¹⁹⁸, A. Loeliger¹⁹⁸, D. Marlow¹⁹⁸, I. Ojalvo¹⁹⁸, J.

Olsen¹⁹⁸, F. Simpson¹⁹⁸, D. Stickland¹⁹⁸, C. Tully¹⁹⁸, S. Malik¹⁹⁹, R. Sharma¹⁹⁹, S. Chandra^{XXII}, A. Gu^{XXII}, L. Gutay^{XXII}, M. Huwiler^{XXII}, M. Jones^{XXII}, A.W. Jung^{XXII}, D. Kondratyev^{XXII}, J. Li^{XXII}, M. Liu^{XXII}, G. Negro^{XXII}, N. Neumeister^{XXII}, G. Paspalaki^{XXII}, S. Piperov^{XXII}, N.R. Saha^{XXII}, J.F. Schulte^{XXII}, F. Wang^{XXII}, A. Wildridge^{XXII}, W. Xie^{XXII}, Y. Yao^{XXII}, Y. Zhong^{XXII}, N. Parashar²⁰⁰, A. Pathak²⁰⁰, E. Shumka²⁰⁰, D. Acosta²⁰¹, A. Agrawal²⁰¹, C. Arbour²⁰¹, T. Carnahan²⁰¹, P. Das²⁰¹, K.M. Ecklund²⁰¹, F.J.M. Geurts²⁰¹, T. Huang²⁰¹, I. Krommydas²⁰¹, N. Lewis²⁰¹, W. Li²⁰¹, J. Lin²⁰¹, O. Miguel Colin²⁰¹, B.P. Padley²⁰¹, R. Redjimi²⁰¹, J. Rotter²⁰¹, C. Vico Villalba²⁰¹, M. Wulansatiti²⁰¹, E. Yigitbasi²⁰¹, Y. Zhang²⁰¹, O. Bessidskaia Bylund²⁰², A. Bodek²⁰², P. de Barbaro^{XCIII,202}, R. Demina²⁰², A. Garcia-Bellido²⁰², H.S. Hare²⁰², O. Hindrichs²⁰², N. Parmar²⁰², P. Parygin^{XCII,202}, H. Seo²⁰², R. Taus²⁰², Y.h. Yu²⁰², B. Chiarito²⁰³, J.P. Chou²⁰³, S.V. Clark²⁰³, S. Donnelly²⁰³, D. Gadkari²⁰³, Y. Gershtein²⁰³, E. Halkiadakis²⁰³, C. Houghton²⁰³, D. Jaroslawski²⁰³, A. Kobert²⁰³, I. Laflotte²⁰³, A. Lath²⁰³, J. Martins²⁰³, M. Perez Prada²⁰³, B. Rand²⁰³, J. Reichert²⁰³, P. Saha²⁰³, S. Salur²⁰³, S. Somalwar²⁰³, R. Stone²⁰³, S.A. Thayil²⁰³, S. Thomas²⁰³, J. Vora²⁰³, D. Ally²⁰⁴, A.G. Delannoy²⁰⁴, S. Fiorendi²⁰⁴, J. Harris²⁰⁴, T. Holmes²⁰⁴, A.R. Kanuganti²⁰⁴, N. Karunarathna²⁰⁴, J. Lawless²⁰⁴, L. Lee²⁰⁴, E. Nibigira²⁰⁴, B. Skipworth²⁰⁴, S. Spanier²⁰⁴, D. Aebi²⁰⁵, M. Ahmad²⁰⁵, T. Akhter²⁰⁵, K. Androssov²⁰⁵, A. Basnet²⁰⁵, A. Bolshov²⁰⁵, O. Bouhalli^{LXXXVI,205}, A. Cagnotta²⁰⁵, V. D'Amante²⁰⁵, R. Eusebi²⁰⁵, P. Flanagan²⁰⁵, J. Gilmore²⁰⁵, Y. Guo²⁰⁵, T. Kamon²⁰⁵, S. Luo²⁰⁵, R. Mueller²⁰⁵, A. Safonov²⁰⁵, N. Akchurin²⁰⁶, J. Damgov²⁰⁶, Y. Feng²⁰⁶, N. Gogate²⁰⁶, W. Jin²⁰⁶, S.W. Lee²⁰⁶, C. Madrid²⁰⁶, A. Mankel²⁰⁶, T. Peltola²⁰⁶, I. Volobouev²⁰⁶, E. Appelt²⁰⁷, Y. Chen²⁰⁷, S. Greene²⁰⁷, A. Gurrola²⁰⁷, W. Johns²⁰⁷, R. Kunnawalkam Elayavalli²⁰⁷, A. Melo²⁰⁷, D. Rathjens²⁰⁷, F. Romeo²⁰⁷, P. Sheldon²⁰⁷, S. Tuo²⁰⁷, J. Velkovska²⁰⁷, J. Viinikainen²⁰⁷, J. Zhang²⁰⁷, B. Cardwell²⁰⁸, H. Chung²⁰⁸, B. Cox²⁰⁸, J. Hakala²⁰⁸, G. Hamilton Ilha Machado²⁰⁸, R. Hirsosky²⁰⁸, M. Jose²⁰⁸, A. Ledovskoy²⁰⁸, C. Mantilla²⁰⁸, C. Neu²⁰⁸, C. Ramón Álvarez²⁰⁸, Z. Wu²⁰⁸, S. Bhattacharya²⁰⁹, P.E. Karchin²⁰⁹, A. Aravind²¹⁰, S. Banerjee²¹⁰, K. Black²¹⁰, T. Bose²¹⁰, E. Chavez²¹⁰, S. Dasu²¹⁰, P. Everaerts²¹⁰, C. Galloni²¹⁰, H. He²¹⁰, M. Herndon²¹⁰, A. Herve²¹⁰, C.K. Koraka²¹⁰, S. Lomte²¹⁰, R. Loveless²¹⁰, A. Mallampalli²¹⁰, A. Mohammadi²¹⁰, S. Mondal²¹⁰, T. Nelson²¹⁰, G. Parida²¹⁰, L. Pétré²¹⁰, D. Pinna²¹⁰, A. Savin²¹⁰, V. Shang²¹⁰, V. Sharma²¹⁰, W.H. Smith²¹⁰, D. Teague²¹⁰, A. Warden²¹⁰, S. Afanasiev²¹¹, V. Alexakhin²¹¹, Yu. Andreev²¹¹, T. Aushev²¹¹, D. Budkouski²¹¹, R. Chistov²¹¹, M. Danilov²¹¹, T. Dimova²¹¹, A. Ershov²¹¹, S. Gninenko²¹¹, I. Gorbunov²¹¹, A. Kamenev²¹¹, V. Karjavine²¹¹, M. Kirsanov²¹¹, V. Klyukhin²¹¹, O. Kodolova^{L211}, V. Korenkov²¹¹, I. Korsakov²¹¹, A. Kozyrev²¹¹, N. Krasnikov²¹¹, A. Lanev²¹¹, A. Malakhov²¹¹, V. Matveev²¹¹, A. Nikitenko^{XVII,211}, V. Palichik²¹¹, V. Perehygin²¹¹, S. Petrushanko²¹¹, O. Radchenko²¹¹, M. Savina²¹¹, V. Shalaev²¹¹, S. Shmatov²¹¹, S. Shulha²¹¹, Y. Skovpen²¹¹, K. Slizhevskiy²¹¹, V. Smirnov²¹¹, O. Teryaev²¹¹, I. Tlisova²¹¹, A. Toropin²¹¹, N. Voytishin²¹¹, A. Zarubin²¹¹, I. Zhizhin²¹¹, L. Dudko²¹², V. Kim^{XCII,212}, V. Murzin²¹², V. Oreshkin²¹², D. Sosnov²¹², E. Boos²¹², V. Bunichev²¹², M. Dubinin^{XVIII,212}, A. Gribushin²¹², V. Savrin²¹², A. Snigirev²¹²

Affiliation Notes

^I Also at Yerevan Physics Institute, Yerevan, Armenia

^{II} Also at Ghent University, Ghent, Belgium

^{III} Also at Nanjing Normal University, Nanjing, China

^{IV} Also at Institut de Physique des 2 Infinis de Lyon (IP2I), Villeurbanne, France

^V Also at Georgian Technical University, Tbilisi, Georgia

- ^{VI} Also at RWTH Aachen University, III. Physikalisches Institut A, Aachen, Germany
- ^{VII} Also at Deutsches Elektronen-Synchrotron, Hamburg, Germany
- ^{VIII} Also at University of Hamburg, Hamburg, Germany
- ^{IX} Also at National and Kapodistrian University of Athens, Athens, Greece
- ^X Also at HUN-REN Wigner Research Centre for Physics, Budapest, Hungary
- ^{XI} Also at MTA-ELTE Lendület CMS Particle and Nuclear Physics Group, Eötvös Loránd University, Budapest, Hungary
- ^{XII} Also at HUN-REN ATOMKI - Institute of Nuclear Research, Debrecen, Hungary
- ^{XIII} Also at University of Hyderabad, Hyderabad, India
- ^{XIV} Also at Isfahan University of Technology, Isfahan, Iran
- ^{XV} Also at CERN, European Organization for Nuclear Research, Geneva, Switzerland
- ^{XVI} Also at Universität Zürich, Zurich, Switzerland
- ^{XVII} Also at Imperial College, London, United Kingdom
- ^{XVIII} Also at California Institute of Technology, Pasadena, California, USA
- ^{XIX} Also at Fermi National Accelerator Laboratory, Batavia, Illinois, USA
- ^{XX} Also at The University of Iowa, Iowa City, Iowa, USA
- ^{XXI} Also at The University of Kansas, Lawrence, Kansas, USA
- ^{XXII} Also at Purdue University, West Lafayette, Indiana, USA
- ^{XXIII} Also at Yerevan State University, Yerevan, Armenia
- ^{XXIV} Also at TU Wien, Vienna, Austria
- ^{XXV} Also at FACAMP - Faculdades de Campinas, Sao Paulo, Brazil
- ^{XXVI} Also at The University of the State of Amazonas, Manaus, Brazil
- ^{XXVII} Also at Federal University of Rio Grande do Sul, Porto Alegre, Brazil
- ^{XXVIII} Also at Universidade Estadual de Campinas, Campinas, Brazil
- ^{XXIX} Also at University of Chinese Academy of Sciences, Beijing, China
- ^{XXX} Also at Center for High Energy Physics, Peking University, Beijing, China
- ^{XXXI} Also at University of Chinese Academy of Sciences, Beijing, China
- ^{XXXII} Now at Henan Normal University, Xinxiang, China
- ^{XXXIII} Also at University of Shanghai for Science and Technology, Shanghai, China
- ^{XXXIV} Also at School of Physics, Zhengzhou University, Zhengzhou, China
- ^{XXXV} Now at Ain Shams University, Cairo, Egypt
- ^{XXXVI} Also at British University in Egypt, Cairo, Egypt
- ^{XXXVII} Also at Zewail City of Science and Technology, Zewail, Egypt
- ^{XXXVIII} Also at Université de Haute Alsace, Mulhouse, France
- ^{XXXIX} Also at Tbilisi State University, Tbilisi, Georgia
- ^{XL} Also at Brandenburg University of Technology, Cottbus, Germany
- ^{XLI} Also at Forschungszentrum Jülich, Jülich, Germany
- ^{XLII} Also at Bergische University Wuppertal (BUW), Wuppertal, Germany
- ^{XLIII} Also at Physics Department, Faculty of Science, Assiut University, Assiut, Egypt
- ^{XLIV} Now at Universitatea Babes-Bolyai - Facultatea de Fizica, Cluj-Napoca, Romania
- ^{XLV} Also at Indian Institute of Science (IISc), Bangalore, India
- ^{XLVI} Also at Institute of Physics, Bhubaneswar, India
- ^{XLVII} Also at Punjab Agricultural University, Ludhiana, India
- ^{XLVIII} Also at University of Visva-Bharati, Santiniketan, India
- ^{XLIX} Also at Department of Physics, Faculty of Science, Arak University, Arak, Iran
- ^L Also at Department of Physics, University of Science and Technology of Mazandaran, Behshahr, Iran
- ^{LI} Also at Sharif University of Technology, Tehran, Iran
- ^{LII} Also at Centro Siciliano di Fisica Nucleare e di Struttura Della Materia, Catania, Italy
- ^{LIII} Also at UPES - University of Petroleum and Energy Studies, Dehradun, India
- ^{LIV} Also at Italian National Agency for New Technologies, Energy and Sustainable Economic Development, Bologna, Italy
- ^{LV} Also at James Madison University, Harrisonburg, N/A, USA
- ^{LVI} Also at Helwan University, Cairo, Egypt
- ^{LVII} Also at Consiglio Nazionale delle Ricerche - Istituto Officina dei Materiali, Perugia, Italy
- ^{LVIII} Also at Lulea University of Technology, Lulea, Sweden
- ^{LIX} Also at Scuola Superiore Meridionale, Università di Napoli 'Federico II', Napoli, Italy
- ^{LX} Also at Università degli Studi Guglielmo Marconi, Roma, Italy
- ^{LXI} Also at Department of Applied Physics, Faculty of Science and Technology, Universiti Kebangsaan Malaysia, Bangi, Malaysia
- ^{LXII} Also at Saegis Campus, Nugegoda, Sri Lanka
- ^{LXIII} Also at Trincomalee Campus, Eastern University, Sri Lanka, Nilaveli, Sri Lanka
- ^{LXIV} Also at Ecole Polytechnique Fédérale Lausanne, Lausanne, Switzerland
- ^{LXV} Also at Stefan Meyer Institute for Subatomic Physics, Vienna, Austria
- ^{LXVI} Also at Adiyaman University, Adiyaman, Turkey
- ^{LXVII} Also at Informatics and Information Security Research Center, Gebze/Kocaeli, Turkey
- ^{LXVIII} Also at Istanbul University - Cerrahpasa, Faculty of Engineering, Istanbul, Turkey
- ^{LXIX} Also at Istinye University, Istanbul, Turkey
- ^{LXX} Also at Istanbul Sabahattin Zaim University, Istanbul, Turkey
- ^{LXXI} Also at Milli Savunma University, Istanbul, Turkey
- ^{LXXII} Also at Izmir Bakircay University, Izmir, Turkey
- ^{LXXIII} Also at Kafkas University, Kars, Turkey
- ^{LXXIV} Also at Konya Technical University, Konya, Turkey
- ^{LXXV} Also at Marmara University, Istanbul, Turkey
- ^{LXXVI} Also at Near East University, Research Center of Experimental Health Science, Mersin, Turkey
- ^{LXXVII} Now at Istanbul Okan University, Istanbul, Turkey
- ^{LXXVIII} Also at Istanbul Topkapi University, Istanbul, Turkey
- ^{LXXIX} Also at Bozok Universiteleri Rektörlüğü, Yozgat, Turkey
- ^{LXXX} Also at United States Naval Academy, Annapolis, Maryland, USA
- ^{LXXXI} Also at Bingöl University, Bingöl, Turkey
- ^{LXXXII} Also at Horia Hulubei National Institute of Physics and Nuclear Engineering (IFIN-HH), Bucharest, Romania
- ^{LXXXIII} Also at California Lutheran University, Thousand Oaks, California, USA
- ^{LXXXIV} Also at Karamanoğlu Mehmetbey University, Karaman, Turkey
- ^{LXXXV} Also at Erciyes University, Kayseri, Turkey
- ^{LXXXVI} Also at Hamad Bin Khalifa University (HBKU), Doha, Qatar
- ^{LXXXVII} Also at Sinop University, Sinop, Turkey
- ^{LXXXVIII} Also at Università di Torino, Torino, Italy
- ^{LXXXIX} Also at Monash University, Faculty of Science, Clayton, Australia
- ^{XC} Also at School of Physics and Astronomy, University of Southampton, Southampton, United Kingdom
- ^{XCI} Also at Another institute or international laboratory covered by a cooperation agreement with CERN
- ^{XCII} Also at Another institute formerly covered by a cooperation agreement with CERN
- ^{XCIII} Deceased

Collaboration Institutes

- Institut für Hochenergiephysik, Vienna, Austria
- Universiteit Antwerpen, Antwerpen, Belgium
- Vrije Universiteit Brussel, Brussel, Belgium
- Université Libre de Bruxelles, Bruxelles, Belgium
- Université Catholique de Louvain, Louvain-la-Neuve, Belgium
- Centro Brasileiro de Pesquisas Físicas, Rio de Janeiro, Brazil
- Universidade do Estado do Rio de Janeiro, Rio de Janeiro, Brazil
- Universidade Estadual Paulista, Universidade Federal do ABC, São Paulo, Brazil
- Institute for Nuclear Research and Nuclear Energy, Bulgarian Academy of Sciences, Sofia, Bulgaria
- University of Sofia, Sofia, Bulgaria

- ¹¹ Instituto De Alta Investigación, Universidad de Tarapacá, Casilla 7 D, Arica, Chile
- ¹² Universidad Tecnica Federico Santa Maria, Valparaiso, Chile
- ¹³ Beihang University, Beijing, China
- ¹⁴ Department of Physics, Tsinghua University, Beijing, China
- ¹⁵ Institute of High Energy Physics, Beijing, China
- ¹⁶ State Key Laboratory of Nuclear Physics and Technology, Peking University, Beijing, China
- ¹⁷ State Key Laboratory of Nuclear Physics and Technology, Institute of Quantum Matter, South China Normal University, Guangzhou, China
- ¹⁸ Sun Yat-Sen University, Guangzhou, China
- ¹⁹ University of Science and Technology of China, Hefei, China
- ²⁰ Institute of Modern Physics and Key Laboratory of Nuclear Physics and Ion-beam Application (MOE) - Fudan University, Shanghai, China
- ²¹ Zhejiang University, Hangzhou, Zhejiang, China
- ²² Universidad de Los Andes, Bogota, Colombia
- ²³ Universidad de Antioquia, Medellin, Colombia
- ²⁴ University of Split, Faculty of Electrical Engineering, Mechanical Engineering and Naval Architecture, Split, Croatia
- ²⁵ University of Split, Faculty of Science, Split, Croatia
- ²⁶ Institute Rudjer Boskovic, Zagreb, Croatia
- ²⁷ University of Cyprus, Nicosia, Cyprus
- ²⁸ Charles University, Prague, Czech Republic
- ²⁹ Escuela Politecnica Nacional, Quito, Ecuador
- ³⁰ Universidad San Francisco de Quito, Quito, Ecuador
- ³¹ Academy of Scientific Research and Technology of the Arab Republic of Egypt, Egyptian Network of High Energy Physics, Cairo, Egypt
- ³² Center for High Energy Physics (CHEP-FU), Fayoum University, El-Fayoum, Egypt
- ³³ National Institute of Chemical Physics and Biophysics, Tallinn, Estonia
- ³⁴ Department of Physics, University of Helsinki, Helsinki, Finland
- ³⁵ Helsinki Institute of Physics, Helsinki, Finland
- ³⁶ Lappeenranta-Lahti University of Technology, Lappeenranta, Finland
- ³⁷ IRFU, CEA, Université Paris-Saclay, Gif-sur-Yvette, France
- ³⁸ Laboratoire Leprince-Ringuet, CNRS/IN2P3, Ecole Polytechnique, Institut Polytechnique de Paris, Palaiseau, France
- ³⁹ Université de Strasbourg, CNRS, IPHC, UMR 7178, Strasbourg, France
- ⁴⁰ Centre de Calcul de l'Institut National de Physique Nucleaire et de Physique des Particules, CNRS/IN2P3, Villeurbanne, France
- ⁴¹ RWTH Aachen University, I. Physikalisches Institut, Aachen, Germany
- ⁴² RWTH Aachen University, III. Physikalisches Institut B, Aachen, Germany
- ⁴³ Karlsruher Institut fuer Technologie, Karlsruhe, Germany
- ⁴⁴ Institute of Nuclear and Particle Physics (INPP), NCSR Demokritos, Aghia Paraskevi, Greece
- ⁴⁵ National Technical University of Athens, Athens, Greece
- ⁴⁶ University of Ioánnina, Ioánnina, Greece
- ⁴⁷ Faculty of Informatics, University of Debrecen, Debrecen, Hungary
- ⁴⁸ Karoly Robert Campus, MATE Institute of Technology, Gyongyos, Hungary
- ⁴⁹ IIT Bhubaneswar, Bhubaneswar, India
- ⁵⁰ Panjab University, Chandigarh, India
- ⁵¹ University of Delhi, Delhi, India
- ⁵² Indian Institute of Technology Mandi (IIT-Mandi), Himachal Pradesh, India
- ⁵³ Indian Institute of Technology, Kanpur, Kanpur, India
- ⁵⁴ Saha Institute of Nuclear Physics, HBNI, Kolkata, India
- ⁵⁵ Indian Institute of Technology Madras, Madras, India
- ⁵⁶ IISER Mohali, India, Mohali, India
- ⁵⁷ Tata Institute of Fundamental Research-A, Mumbai, India
- ⁵⁸ Tata Institute of Fundamental Research-B, Mumbai, India
- ⁵⁹ National Institute of Science Education and Research, An OCC of Homi Bhabha National Institute, Bhubaneswar, Odisha, India
- ⁶⁰ Indian Institute of Science Education and Research (IISER), Pune, India
- ⁶¹ Indian Institute of Technology Hyderabad, Telangana, India
- ⁶² Institute for Research in Fundamental Sciences (IPM), Tehran, Iran
- ⁶³ University College Dublin, Dublin, Ireland
- ⁶⁴ INFN Sezione di Bari, Università di Bari, Politecnico di Bari, Bari, Italy
- ⁶⁵ INFN Sezione di Bari, Bari, Italy
- ⁶⁶ Università di Bari, Bari, Italy
- ⁶⁷ Politecnico di Bari, Bari, Italy
- ⁶⁸ INFN Sezione di Bologna, Università di Bologna, Bologna, Italy
- ⁶⁹ INFN Sezione di Bologna, Bologna, Italy
- ⁷⁰ Università di Bologna, Bologna, Italy
- ⁷¹ INFN Sezione di Catania, Università di Catania, Catania, Italy
- ⁷² INFN Sezione di Catania, Catania, Italy
- ⁷³ Università di Catania, Catania, Italy
- ⁷⁴ INFN Sezione di Firenze, Università di Firenze, Firenze, Italy
- ⁷⁵ INFN Sezione di Firenze, Firenze, Italy
- ⁷⁶ Università di Firenze, Firenze, Italy
- ⁷⁷ INFN Laboratori Nazionali di Frascati, Frascati, Italy
- ⁷⁸ INFN Sezione di Genova, Università di Genova, Genova, Italy
- ⁷⁹ INFN Sezione di Genova, Genova, Italy
- ⁸⁰ Università di Genova, Genova, Italy
- ⁸¹ INFN Sezione di Milano-Bicocca, Università di Milano-Bicocca, Milano, Italy
- ⁸² INFN Sezione di Milano-Bicocca, Milano, Italy
- ⁸³ Università di Milano-Bicocca, Milano, Italy
- ⁸⁴ INFN Sezione di Napoli, Università di Napoli 'Federico II', Napoli, Italy, Università della Basilicata, Potenza, Italy, Scuola Superiore Meridionale (SSM), Napoli, Italy
- ⁸⁵ INFN Sezione di Napoli, Napoli, Italy
- ⁸⁶ Università di Napoli 'Federico II', Napoli, Italy
- ⁸⁷ Università della Basilicata, Potenza, Italy
- ⁸⁸ Scuola Superiore Meridionale (SSM), Napoli, Italy
- ⁸⁹ INFN Sezione di Padova, Università di Padova, Padova, Italy, Università degli Studi di Cagliari, Cagliari, Italy
- ⁹⁰ INFN Sezione di Padova, Padova, Italy
- ⁹¹ Università di Padova, Padova, Italy
- ⁹² Università degli Studi di Cagliari, Cagliari, Italy
- ⁹³ INFN Sezione di Pavia, Università di Pavia, Pavia, Italy
- ⁹⁴ INFN Sezione di Pavia, Pavia, Italy
- ⁹⁵ Università di Pavia, Pavia, Italy
- ⁹⁶ INFN Sezione di Perugia, Università di Perugia, Perugia, Italy
- ⁹⁷ INFN Sezione di Perugia, Perugia, Italy
- ⁹⁸ Università di Perugia, Perugia, Italy
- ⁹⁹ INFN Sezione di Pisa, Università di Pisa, Scuola Normale Superiore di Pisa, Pisa, Italy, Università di Siena, Siena, Italy
- ¹⁰⁰ INFN Sezione di Pisa, Pisa, Italy
- ¹⁰¹ Università di Pisa, Pisa, Italy
- ¹⁰² Scuola Normale Superiore di Pisa, Pisa, Italy
- ¹⁰³ Università di Siena, Siena, Italy
- ¹⁰⁴ INFN Sezione di Roma, Sapienza Università di Roma, Roma, Italy
- ¹⁰⁵ INFN Sezione di Roma, Roma, Italy
- ¹⁰⁶ Sapienza Università di Roma, Roma, Italy
- ¹⁰⁷ INFN Sezione di Torino, Università di Torino, Torino, Italy, Università del Piemonte Orientale, Novara, Italy
- ¹⁰⁸ INFN Sezione di Torino, Torino, Italy
- ¹⁰⁹ Università di Torino, Torino, Italy
- ¹¹⁰ Università del Piemonte Orientale, Novara, Italy
- ¹¹¹ INFN Sezione di Trieste, Università di Trieste, Trieste, Italy
- ¹¹² INFN Sezione di Trieste, Trieste, Italy
- ¹¹³ Università di Trieste, Trieste, Italy
- ¹¹⁴ College of Engineering and Technology, American University of the Middle East (AUM), Dasman, Kuwait
- ¹¹⁵ Kuwait University - College of Science - Department of Physics, Safat, Kuwait
- ¹¹⁶ Riga Technical University, Riga, Latvia
- ¹¹⁷ University of Latvia (LU), Riga, Latvia
- ¹¹⁸ Vilnius University, Vilnius, Lithuania

- ¹¹⁹ National Centre for Particle Physics, Universiti Malaya, Kuala Lumpur, Malaysia
- ¹²⁰ Universidad de Sonora (UNISON), Hermosillo, Mexico
- ¹²¹ Centro de Investigacion y de Estudios Avanzados del IPN, Mexico City, Mexico
- ¹²² Universidad Iberoamericana, Mexico City, Mexico
- ¹²³ Benemerita Universidad Autonoma de Puebla, Puebla, Mexico
- ¹²⁴ University of Montenegro, Podgorica, Montenegro
- ¹²⁵ University of Canterbury, Christchurch, New Zealand
- ¹²⁶ National Centre for Physics, Quaid-I-Azam University, Islamabad, Pakistan
- ¹²⁷ AGH University of Krakow, Krakow, Poland
- ¹²⁸ National Centre for Nuclear Research, Swierk, Poland
- ¹²⁹ Institute of Experimental Physics, Faculty of Physics, University of Warsaw, Warsaw, Poland
- ¹³⁰ Warsaw University of Technology, Warsaw, Poland
- ¹³¹ Laboratório de Instrumentação e Física Experimental de Partículas, Lisboa, Portugal
- ¹³² Faculty of Physics, University of Belgrade, Belgrade, Serbia
- ¹³³ VINCA Institute of Nuclear Sciences, University of Belgrade, Belgrade, Serbia
- ¹³⁴ Kyungpook National University, Daegu, South Korea
- ¹³⁵ Department of Mathematics and Physics - GWN, Gangneung, South Korea
- ¹³⁶ Chonnam National University, Institute for Universe and Elementary Particles, Kwangju, South Korea
- ¹³⁷ Hanyang University, Seoul, South Korea
- ¹³⁸ Korea University, Seoul, South Korea
- ¹³⁹ Kyung Hee University, Department of Physics, Seoul, South Korea
- ¹⁴⁰ Sejong University, Seoul, South Korea
- ¹⁴¹ Seoul National University, Seoul, South Korea
- ¹⁴² University of Seoul, Seoul, South Korea
- ¹⁴³ Yonsei University, Department of Physics, Seoul, South Korea
- ¹⁴⁴ Sungkyunkwan University, Suwon, South Korea
- ¹⁴⁵ Centro de Investigaciones Energéticas Medioambientales y Tecnológicas (CIEMAT), Madrid, Spain
- ¹⁴⁶ Universidad Autónoma de Madrid, Madrid, Spain
- ¹⁴⁷ Universidad de Oviedo, Instituto Universitario de Ciencias y Tecnologías Espaciales de Asturias (ICTEA), Oviedo, Spain
- ¹⁴⁸ Instituto de Física de Cantabria (IFCA), CSIC-Universidad de Cantabria, Santander, Spain
- ¹⁴⁹ University of Colombo, Colombo, Sri Lanka
- ¹⁵⁰ University of Ruhuna, Department of Physics, Matara, Sri Lanka
- ¹⁵¹ PSI Center for Neutron and Muon Sciences, Villigen, Switzerland
- ¹⁵² ETH Zurich - Institute for Particle Physics and Astrophysics (IPA), Zurich, Switzerland
- ¹⁵³ National Central University, Chung-Li, Taiwan
- ¹⁵⁴ National Taiwan University (NTU), Taipei, Taiwan
- ¹⁵⁵ High Energy Physics Research Unit, Department of Physics, Faculty of Science, Chulalongkorn University, Bangkok, Thailand
- ¹⁵⁶ Tunis El Manar University, Tunis, Tunisia
- ¹⁵⁷ Çukurova University, Physics Department, Science and Art Faculty, Adana, Turkey
- ¹⁵⁸ Hacettepe University, Ankara, Turkey
- ¹⁵⁹ Middle East Technical University, Physics Department, Ankara, Turkey
- ¹⁶⁰ Bogazici University, Istanbul, Turkey
- ¹⁶¹ Istanbul Technical University, Istanbul, Turkey
- ¹⁶² Istanbul University, Istanbul, Turkey
- ¹⁶³ Yildiz Technical University, Istanbul, Turkey
- ¹⁶⁴ Institute for Scintillation Materials of National Academy of Science of Ukraine, Kharkiv, Ukraine
- ¹⁶⁵ National Science Centre, Kharkiv Institute of Physics and Technology, Kharkiv, Ukraine
- ¹⁶⁶ University of Bristol, Bristol, United Kingdom
- ¹⁶⁷ Rutherford Appleton Laboratory, Didcot, United Kingdom
- ¹⁶⁸ Brunel University, Uxbridge, United Kingdom
- ¹⁶⁹ Baylor University, Waco, Texas, USA
- ¹⁷⁰ Bethel University, St. Paul, Minnesota, USA
- ¹⁷¹ Catholic University of America, Washington, DC, USA
- ¹⁷² The University of Alabama, Tuscaloosa, Alabama, USA
- ¹⁷³ Boston University, Boston, Massachusetts, USA
- ¹⁷⁴ Brown University, Providence, Rhode Island, USA
- ¹⁷⁵ University of California, Davis, Davis, California, USA
- ¹⁷⁶ University of California, Los Angeles, California, USA
- ¹⁷⁷ University of California, Riverside, Riverside, California, USA
- ¹⁷⁸ University of California, San Diego, La Jolla, California, USA
- ¹⁷⁹ University of California, Santa Barbara - Department of Physics, Santa Barbara, California, USA
- ¹⁸⁰ Carnegie Mellon University, Pittsburgh, Pennsylvania, USA
- ¹⁸¹ University of Colorado Boulder, Boulder, Colorado, USA
- ¹⁸² Cornell University, Ithaca, New York, USA
- ¹⁸³ University of Florida, Gainesville, Florida, USA
- ¹⁸⁴ Florida State University, Tallahassee, Florida, USA
- ¹⁸⁵ Florida Institute of Technology, Melbourne, Florida, USA
- ¹⁸⁶ University of Illinois Chicago, Chicago, Illinois, USA
- ¹⁸⁷ Johns Hopkins University, Baltimore, Maryland, USA
- ¹⁸⁸ Kansas State University, Manhattan, Kansas, USA
- ¹⁸⁹ University of Maryland, College Park, Maryland, USA
- ¹⁹⁰ Massachusetts Institute of Technology, Cambridge, Massachusetts, USA
- ¹⁹¹ University of Minnesota, Minneapolis, Minnesota, USA
- ¹⁹² University of Nebraska-Lincoln, Lincoln, Nebraska, USA
- ¹⁹³ State University of New York at Buffalo, Buffalo, New York, USA
- ¹⁹⁴ Northeastern University, Boston, Massachusetts, USA
- ¹⁹⁵ Northwestern University, Evanston, Illinois, USA
- ¹⁹⁶ University of Notre Dame, Notre Dame, Indiana, USA
- ¹⁹⁷ The Ohio State University, Columbus, Ohio, USA
- ¹⁹⁸ Princeton University, Princeton, New Jersey, USA
- ¹⁹⁹ University of Puerto Rico, Mayaguez, Puerto Rico, USA
- ²⁰⁰ Purdue University Northwest, Hammond, Indiana, USA
- ²⁰¹ Rice University, Houston, Texas, USA
- ²⁰² University of Rochester, Rochester, New York, USA
- ²⁰³ Rutgers, The State University of New Jersey, Piscataway, New Jersey, USA
- ²⁰⁴ University of Tennessee, Knoxville, Tennessee, USA
- ²⁰⁵ Texas A&M University, College Station, Texas, USA
- ²⁰⁶ Texas Tech University, Lubbock, Texas, USA
- ²⁰⁷ Vanderbilt University, Nashville, Tennessee, USA
- ²⁰⁸ University of Virginia, Charlottesville, Virginia, USA
- ²⁰⁹ Wayne State University, Detroit, Michigan, USA
- ²¹⁰ University of Wisconsin - Madison, Madison, Wisconsin, USA
- ²¹¹ An institute or international laboratory covered by a cooperation agreement with CERN
- ²¹² An institute formerly covered by a cooperation agreement with CERN

References

- [1] M. Cvetič, P. Langacker, G. Shiu, Phenomenology of a three-family standardlike string model, *Phys. Rev. D* 66 (2002) 066004. [arXiv:hep-ph/0205252](https://arxiv.org/abs/hep-ph/0205252), <https://doi.org/10.1103/PhysRevD.66.066004>
- [2] Z. Chacko, H.-S. Goh, R. Harnik, The twin Higgs: natural electroweak breaking from mirror symmetry, *Phys. Rev. Lett.* 96 (2006) 231802. [arXiv:hep-ph/0506256](https://arxiv.org/abs/hep-ph/0506256), <https://doi.org/10.1103/PhysRevLett.96.231802>
- [3] M.J. Strassler, K.M. Zurek, Echoes of a hidden valley at hadron colliders, *Phys. Lett. B* 651 (2007) 374. [arXiv:hep-ph/0604261](https://arxiv.org/abs/hep-ph/0604261), <https://doi.org/10.1016/j.physletb.2007.06.055>
- [4] S.A. Abel, M.D. Goodsell, J. Jaeckel, V.V. Khoze, A. Ringwald, Kinetic mixing of the photon with hidden U(1)s in string phenomenology, *JHEP* 07 (2008) 124. [arXiv:0803.1449](https://arxiv.org/abs/0803.1449) [hep-ph], <https://doi.org/10.1088/1126-6708/2008/07/124>
- [5] T. Hur, D.-W. Jung, P. Ko, J.Y. Lee, Electroweak symmetry breaking and cold dark matter from strongly interacting hidden sector, *Phys. Lett. B* 696 (2011) 262. [arXiv:0709.1218](https://arxiv.org/abs/0709.1218) [hep-ph], <https://doi.org/10.1016/j.physletb.2010.12.047>
- [6] Y. Bai, P. Schwaller, Scale of dark QCD, *Phys. Rev. D* 89 (2014) 063522. [arXiv:1306.4676](https://arxiv.org/abs/1306.4676) [hep-ph], <https://doi.org/10.1103/PhysRevD.89.063522>

- [7] P. Schwaller, D. Stolarski, A. Weiler, Emerging jets, *JHEP* 05 (2015) 059. [arXiv:1502.05409](https://arxiv.org/abs/1502.05409) [hep-ph], [https://doi.org/10.1007/JHEP05\(2015\)059](https://doi.org/10.1007/JHEP05(2015)059)
- [8] T. Cohen, M. Lisanti, H.K. Lou, Semivisible jets: dark matter undercover at the LHC, *Phys. Rev. Lett.* 115 (2015) 171804. [arXiv:1503.00009](https://arxiv.org/abs/1503.00009) [hep-ph], <https://doi.org/10.1103/PhysRevLett.115.171804>
- [9] G. 't Hooft, A planar diagram theory for strong interactions, *Nucl. Phys. B* 72 (1974) 461. [https://doi.org/10.1016/0550-3213\(74\)90154-0](https://doi.org/10.1016/0550-3213(74)90154-0)
- [10] J. Polchinski, M.J. Strassler, Deep inelastic scattering and gauge / string duality, *JHEP* 05 (2003) 012. [arXiv:hep-th/0209211](https://arxiv.org/abs/hep-th/0209211), <https://doi.org/10.1088/1126-6708/2003/05/012>
- [11] D.M. Hofman, J. Maldacena, Conformal collider physics: energy and charge correlations, *JHEP* 05 (2008) 012. [arXiv:0803.1467](https://arxiv.org/abs/0803.1467) [hep-ph], <https://doi.org/10.1088/1126-6708/2008/05/012>
- [12] M.J. Strassler, Why Unparticle Models with Mass Gaps are Examples of Hidden Valleys, 2008. [arXiv:0801.0629](https://arxiv.org/abs/0801.0629) [hep-ph]
- [13] S. Knapen, S. Pagan Griso, M. Papucci, D.J. Robinson, Triggering soft bombs at the LHC, *JHEP* 08 (2017) 076. [arXiv:1612.00850](https://arxiv.org/abs/1612.00850) [hep-ph], [https://doi.org/10.1007/JHEP08\(2017\)076](https://doi.org/10.1007/JHEP08(2017)076)
- [14] CMS Collaboration, Search for soft unclustered energy patterns in proton-proton collisions at 13 TeV, *Phys. Rev. Lett.* 133 (2024) 191902. [arXiv:2403.05311](https://arxiv.org/abs/2403.05311) [hep-ex], <https://doi.org/10.1103/PhysRevLett.133.191902>
- [15] ATLAS Collaboration, Search for soft unclustered energy patterns containing muons in the final state in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector, 2026. Submitted to *JHEP*. [arXiv:2605.20015](https://arxiv.org/abs/2605.20015) [hep-ex]
- [16] CMS Collaboration, The CMS experiment at the CERN LHC, *JINST* 3 (2008) S08004. <https://doi.org/10.1088/1748-0221/3/08/S08004>
- [17] CMS Collaboration, The CMS trigger system, *JINST* 12 (2017) P01020. [arXiv:1609.02366](https://arxiv.org/abs/1609.02366) [physics.ins-det], <https://doi.org/10.1088/1748-0221/12/01/P01020>
- [18] CMS Collaboration, Performance of the CMS Level-1 trigger in proton-proton collisions at $\sqrt{s} = 13$ TeV, *JINST* 15 (2020) P10017. [arXiv:2006.10165](https://arxiv.org/abs/2006.10165) [hep-ex], <https://doi.org/10.1088/1748-0221/15/10/P10017>
- [19] CMS Collaboration, Performance of the CMS high-level trigger during LHC Run 2, *JINST* 19 (2024) P11021. [arXiv:2410.17038](https://arxiv.org/abs/2410.17038) [physics.ins-det], <https://doi.org/10.1088/1748-0221/19/11/P11021>
- [20] CMS Collaboration, Electron and photon reconstruction and identification with the CMS experiment at the CERN LHC, *JINST* 16 (2021) P05014. [arXiv:2012.06888](https://arxiv.org/abs/2012.06888) [hep-ex], <https://doi.org/10.1088/1748-0221/16/05/P05014>
- [21] CMS Collaboration, Performance of the CMS muon detector and muon reconstruction with proton-proton collisions at $\sqrt{s} = 13$ TeV, *JINST* 13 (2018) P06015. [arXiv:1804.04528](https://arxiv.org/abs/1804.04528) [physics.ins-det], <https://doi.org/10.1088/1748-0221/13/06/P06015>
- [22] CMS Collaboration, Description and performance of track and primary-vertex reconstruction with the CMS tracker, *JINST* 9 (2014) P10009. [arXiv:1405.6569](https://arxiv.org/abs/1405.6569) [physics.ins-det], <https://doi.org/10.1088/1748-0221/9/10/P10009>
- [23] CMS Collaboration, Particle-flow reconstruction and global event description with the CMS detector, *JINST* 12 (2017) P10003. [arXiv:1706.04965](https://arxiv.org/abs/1706.04965) [physics.ins-det], <https://doi.org/10.1088/1748-0221/12/10/P10003>
- [24] CMS Collaboration, Technical proposal for the Phase-II upgrade of the Compact Muon Solenoid, CMS Technical Proposal CERN-LHCC-2015-010, CMS-TDR-15-02, 2015. <http://cds.cern.ch/record/2020886>
- [25] T. Sjöstrand, S. Ask, J.R. Christiansen, R. Corke, N. Desai, P. Ilten, S. Mrenna, S. Prestel, C.O. Rasmussen, P.Z. Skands, An introduction to PYTHIA 8.2, *Comput. Phys. Commun.* 191 (2015) 159. [arXiv:1410.3012](https://arxiv.org/abs/1410.3012) [hep-ph], <https://doi.org/10.1016/j.cpc.2015.01.024>
- [26] M. Buschmann, J. Kopp, J. Liu, P.A.N. Machado, Lepton jets from radiating dark matter, *JHEP* 07 (2015) 045. [arXiv:1505.07459](https://arxiv.org/abs/1505.07459) [hep-ph], [https://doi.org/10.1007/JHEP07\(2015\)045](https://doi.org/10.1007/JHEP07(2015)045)
- [27] M. Graham, C. Hearty, M. Williams, Searches for dark photons at accelerators, *Ann. Rev. Nucl. Part. Sci.* 71 (2021) 37. [arXiv:2104.10280](https://arxiv.org/abs/2104.10280) [hep-ph], <https://doi.org/10.1146/annurev-nucl-110320-051823>
- [28] D. de Florian, et al., Handbook of LHC Higgs cross sections: 4. Deciphering the nature of the Higgs sector, CERN Yellow Rep.: Monogr. 2 (2017). [arXiv:1610.07922](https://arxiv.org/abs/1610.07922) [hep-ph], <https://doi.org/10.23731/CYRM-2017-002>
- [29] J. Barron, D. Curtin, G. Kasieczka, T. Plehn, A. Spourdalakis, Unsupervised hadronic SUEP at the LHC, *JHEP* 12 (2021) 129. [arXiv:2107.12379](https://arxiv.org/abs/2107.12379) [hep-ph], [https://doi.org/10.1007/JHEP12\(2021\)129](https://doi.org/10.1007/JHEP12(2021)129)
- [30] J. Alwall, R. Frederix, S. Frixione, V. Hirschi, F. Maltoni, O. Mattelaer, H.S. Shao, T. Stelzer, P. Torrielli, M. Zaro, The automated computation of tree-level and next-to-leading order differential cross sections, and their matching to parton shower simulations, *JHEP* 07 (2014) 079. [arXiv:1405.0301](https://arxiv.org/abs/1405.0301) [hep-ph], [https://doi.org/10.1007/JHEP07\(2014\)079](https://doi.org/10.1007/JHEP07(2014)079)
- [31] R. Frederix, S. Frixione, Merging meets matching in MC@NLO, *JHEP* 12 (2012) 061. [arXiv:1209.6215](https://arxiv.org/abs/1209.6215) [hep-ph], [https://doi.org/10.1007/JHEP12\(2012\)061](https://doi.org/10.1007/JHEP12(2012)061)
- [32] P. Nason, A new method for combining NLO QCD with shower Monte Carlo algorithms, *JHEP* 11 (2004) 040. [arXiv:hep-ph/0409146](https://arxiv.org/abs/hep-ph/0409146), <https://doi.org/10.1088/1126-6708/2004/11/040>
- [33] S. Frixione, P. Nason, C. Oleari, Matching NLO QCD computations with Parton Shower simulations: the POWHEG method, *JHEP* 11 (2007) 070. [arXiv:0709.2092](https://arxiv.org/abs/0709.2092) [hep-ph], <https://doi.org/10.1088/1126-6708/2007/11/070>
- [34] S. Alioli, P. Nason, C. Oleari, E. Re, A general framework for implementing NLO calculations in shower Monte Carlo programs: the POWHEG BOX, *JHEP* 06 (2010) 043. [arXiv:1002.2581](https://arxiv.org/abs/1002.2581) [hep-ph], [https://doi.org/10.1007/JHEP06\(2010\)043](https://doi.org/10.1007/JHEP06(2010)043)
- [35] S. Alioli, S.-O. Moch, P. Uwer, Hadronic top-quark pair-production with one jet and parton showering, *JHEP* 01 (2012) 137. [arXiv:1110.5251](https://arxiv.org/abs/1110.5251) [hep-ph], [https://doi.org/10.1007/JHEP01\(2012\)137](https://doi.org/10.1007/JHEP01(2012)137)
- [36] P. Nason, G. Zanderighi, W^+W^- , WZ and ZZ production in the POWHEG-BOX-V2, *Eur. Phys. J. C* 74 (2014) 2702. [arXiv:1311.1365](https://arxiv.org/abs/1311.1365) [hep-ph], <https://doi.org/10.1140/epjc/s10052-013-2702-5>
- [37] R.D. Ball, et al., (NNPDF), Parton distributions from high-precision collider data, *Eur. Phys. J. C* 77 (2017) 663. [arXiv:1706.00428](https://arxiv.org/abs/1706.00428) [hep-ph], <https://doi.org/10.1140/epjc/s10052-017-5199-5>
- [38] CMS Collaboration, Extraction and validation of a new set of CMS PYTHIA8 tunes from underlying-event measurements, *Eur. Phys. J. C* 80 (2020) 4. [arXiv:1903.12179](https://arxiv.org/abs/1903.12179) [hep-ex], <https://doi.org/10.1140/epjc/s10052-019-7499-4>
- [39] S. Agostinelli, et al., (GEANT4), GEANT4—a simulation toolkit, *Nucl. Instrum. Meth. A* 506 (2003) 250. [https://doi.org/10.1016/S0168-9002\(03\)01368-8](https://doi.org/10.1016/S0168-9002(03)01368-8)
- [40] M. Cacciari, G.P. Salam, G. Soyez, The anti- k_T jet clustering algorithm, *JHEP* 04 (2008) 063. [arXiv:0802.1189](https://arxiv.org/abs/0802.1189) [hep-ex], <https://doi.org/10.1088/1126-6708/2008/04/063>
- [41] M. Cacciari, G.P. Salam, G. Soyez, Fastjet user manual, *Eur. Phys. J. C* 72 (2012) 1896. [arXiv:1111.6097](https://arxiv.org/abs/1111.6097) [hep-ph], <https://doi.org/10.1140/epjc/s10052-012-1896-2>
- [42] CMS Collaboration, Jet energy scale and resolution in the CMS experiment in pp collisions at 8 TeV, *JINST* 12 (2017) P02014. [arXiv:1607.03663](https://arxiv.org/abs/1607.03663) [hep-ex], <https://doi.org/10.1088/1748-0221/12/02/P02014>
- [43] CMS Collaboration, Jet Algorithms Performance in 13 TeV Data, CMS Physics Analysis Summary CMS-PAS-JME-16-003, 2017. <https://cds.cern.ch/record/2256875>
- [44] CMS Collaboration, Identification of heavy-flavour jets with the CMS detector in pp collisions at 13 TeV, *JINST* 13 (2018) P05011. [arXiv:1712.07158](https://arxiv.org/abs/1712.07158) [physics.ins-det], <https://doi.org/10.1088/1748-0221/13/05/P05011>
- [45] E. Bols, J. Kieseler, M. Verzetti, M. Stoye, A. Stakia, Jet flavour classification using DeepJet, *JINST* 15 (2020) P12012. [arXiv:2008.10519](https://arxiv.org/abs/2008.10519) [hep-ex], <https://doi.org/10.1088/1748-0221/15/12/P12012>
- [46] CMS Collaboration, Performance summary of AK4 jet b tagging with data from proton-proton collisions at 13 TeV with the CMS detector, CMS Detector Performance Summary CMS-DP-2023-005, 2023. <https://cds.cern.ch/record/2854609>
- [47] CMS Collaboration, Performance of missing transverse momentum reconstruction in proton-proton collisions at $\sqrt{s} = 13$ TeV using the CMS detector, *JINST* 14 (2019) P07004. [arXiv:1903.06078](https://arxiv.org/abs/1903.06078) [hep-ex], <https://doi.org/10.1088/1748-0221/14/07/P07004>
- [48] D. Bertolini, P. Harris, M. Low, N. Tran, Pileup per particle identification, *JHEP* 10 (2014) 059. [arXiv:1407.6013](https://arxiv.org/abs/1407.6013) [hep-ph], [https://doi.org/10.1007/JHEP10\(2014\)059](https://doi.org/10.1007/JHEP10(2014)059)
- [49] C. Cesarotti, M. Reece, M.J. Strassler, The efficacy of event isotropy as an event shape observable, *JHEP* 07 (2021) 215. [arXiv:2011.06599](https://arxiv.org/abs/2011.06599) [hep-ph], [https://doi.org/10.1007/JHEP07\(2021\)215](https://doi.org/10.1007/JHEP07(2021)215)
- [50] S. Choi, H. Oh, Improved extrapolation methods of data-driven background estimations in high energy physics, *Eur. Phys. J. C* 81 (2021) 643. [arXiv:1906.10831](https://arxiv.org/abs/1906.10831) [hep-ph], <https://doi.org/10.1140/epjc/s10052-021-09404-1>
- [51] CMS Collaboration, Measurement of the primary Lund jet plane density in proton-proton collisions at $\sqrt{s} = 13$ TeV, *JHEP* 05 (2024) 116. [arXiv:2312.16343](https://arxiv.org/abs/2312.16343) [hep-ex], [https://doi.org/10.1007/JHEP05\(2024\)116](https://doi.org/10.1007/JHEP05(2024)116)
- [52] CMS Collaboration, Measurement of the inelastic proton-proton cross section at $\sqrt{s} = 13$ TeV, *JHEP* 07 (2018) 161. [arXiv:1802.02613](https://arxiv.org/abs/1802.02613) [hep-ex], [https://doi.org/10.1007/JHEP07\(2018\)161](https://doi.org/10.1007/JHEP07(2018)161)
- [53] CMS Collaboration, Performance of the CMS muon trigger system in proton-proton collisions at $\sqrt{s} = 13$ TeV, *JINST* 16 (2021) P07001. [arXiv:2102.04790](https://arxiv.org/abs/2102.04790) [hep-ex], <https://doi.org/10.1088/1748-0221/16/07/P07001>
- [54] CMS Collaboration, Precision luminosity measurement in proton-proton collisions at $\sqrt{s} = 13$ TeV in 2015 and 2016 at CMS, *Eur. Phys. J. C* 81 (2021) 800. [arXiv:2104.01927](https://arxiv.org/abs/2104.01927), <https://doi.org/10.1140/epjc/s10052-021-09538-2>
- [55] CMS Collaboration, CMS Luminosity Measurement for the 2017 Data-Taking Period at $\sqrt{s} = 13$ TeV, CMS Physics Analysis Summary CMS-PAS-LUM-17-004, CERN, 2018. <https://cds.cern.ch/record/2621960>
- [56] CMS Collaboration, CMS Luminosity Measurement for the 2018 Data-Taking Period at $\sqrt{s} = 13$ TeV, CMS Physics Analysis Summary CMS-PAS-LUM-18-002, CERN, 2019. <https://cds.cern.ch/record/2676164>
- [57] CMS Collaboration, The CMS statistical analysis and combination tool: COMBINE, *Comput. Softw. Big Sci.* 8 (2024) 19. [arXiv:2404.06614](https://arxiv.org/abs/2404.06614) [physics.data-an], <https://doi.org/10.1007/s41781-024-00121-4>
- [58] T. Junk, Confidence level computation for combining searches with small statistics, *Nucl. Instrum. Meth. A* 434 (1999) 435. [arXiv:hep-ex/9902006](https://arxiv.org/abs/hep-ex/9902006), [https://doi.org/10.1016/S0168-9002\(99\)00498-2](https://doi.org/10.1016/S0168-9002(99)00498-2)
- [59] A.L. Read, Presentation of search results: the CL_s technique, *J. Phys. G* 28 (2002) 2693. <https://doi.org/10.1088/0954-3899/28/10/313>
- [60] CMS Collaboration, A portrait of the Higgs boson by the CMS experiment ten years after the discovery, *Nature* 607 (2022) 60. Author correction: <https://doi.org/10.1038/s41586-023-06164-8>. [arXiv:2207.00043](https://arxiv.org/abs/2207.00043) [hep-ex], <https://doi.org/10.1038/s41586-022-04892-x>
- [61] CMS Collaboration, 2026, HEPData record for this analysis. <https://doi.org/10.17182/hepdata.159998>
- [62] CMS Collaboration, 2026, Statistical model for this analysis. <https://doi.org/10.17181/x9rd1-31z35>
- [63] E. Conte, B. Fuks, G. Serret, MadAnalysis 5, a user-friendly framework for collider phenomenology, *Comput. Phys. Commun.* 184 (2013) 222. [arXiv:1206.1599](https://arxiv.org/abs/1206.1599) [hep-ph], <https://doi.org/10.1016/j.cpc.2012.09.009>
- [64] E. Conte, B. Dumont, B. Fuks, C. Wymant, Designing and recasting LHC analyses with MadAnalysis 5, *Eur. Phys. J. C* 74 (2014) 3103. [arXiv:1405.3982](https://arxiv.org/abs/1405.3982) [hep-ph], <https://doi.org/10.1140/epjc/s10052-014-3103-0>
- [65] B. Dumont, B. Fuks, S. Kraml, S. Bein, G. Chalons, E. Conte, S. Kulkarni, D. Sengupta, C. Wymant, Toward a public analysis database for LHC new physics searches using

- MadAnalysis 5, Eur. Phys. J. C 75 (2015) 56. [arXiv:1407.3278](#) [hep-ph], <https://doi.org/10.1140/epjc/s10052-014-3242-3>
- [66] J.Y. Araz, B. Fuks, G. Polykratis, Simplified fast detector simulation in MadAnalysis 5, Eur. Phys. J. C 81 (2021) 329. [arXiv:2006.09387](#) [hep-ph], <https://doi.org/10.1140/epjc/s10052-021-09052-5>
- [67] J. de Favereau, C. Delaere, P. Demin, A. Giammanco, V. Lemaître, A. Mertens, M. Selvaggi, (DELPHES 3), DELPHES 3: a modular framework for fast simulation of a generic collider experiment, JHEP 02 (2014) 057. [arXiv:1307.6346](#) [hep-ex], [https://doi.org/10.1007/JHEP02\(2014\)057](https://doi.org/10.1007/JHEP02(2014)057)